

Smoky Canyon Mine Panels F & G Final EIS

TABLE OF CONTENTS

8.0	REFERENCES, INDEX, ACRONYMS AND GLOSSARY	8-1
8.1	List of References	8-1
8.2	Index	8-41
8.3	Acronyms	8-49
8.4	Units of Measure	8-54
8.5	Glossary	8-55
8.6	Explanations of Impacts	8-61

Chapter 8

References, Index, Acronyms and Glossary

8.1 List of References

- Adams, W. J., K. V. Brix, M. Edwards, L. M. Tear, D. K. DeForest, and A. Fairbrother. 2003. Analysis of field and laboratory data to derive selenium toxicity thresholds for birds. *Environmental Toxicology and Chemistry* 22(9):2020-2029.
- Agency for Toxic Substances and Disease Registry (ATSDR). 2003a. "Toxicological profile for selenium." US Department of Health and Human Services, public health service. September 2003. Retrieved October 16, 2006, from <http://www.atsdr.cdc.gov/toxprofiles/tp92.html>.
- Agency for Toxic Substances and Disease Registry (ATSDR). 2003b. "Toxicological profile for nickel." US Department of Health and Human Services, public health service. September 2003. Retrieved September 2, 2004, from <http://www.atsdr.cdc.gov/toxprofiles/tp15.html>.
- Allen, H.E., E. M. Perdue, and D. S. Brown. 1993. *Metals in groundwater*. Lewis Publishers.
- Avrami, E., R. Mason, and M. de la Torre. 2000. Report on Research in *Values and Heritage Conservation*. Research Report, The Getty Conservation Institute, Los Angeles.
- Ayres, B., Dirom, G., Christensen, D., Januszewski, S., and O'Kane, M., 2003. Performance of cover system field trials for waste rock at Myra Falls Operations. *In Proc. of 6th International Conference for Acid Rock Drainage*, Cairns, Qld., Australia, July 12-18.
- Ayres, B., Landine, P., Adrian, L., Christensen, D., and O'Kane, M., 2005. Cover and final landform design for the B-zone waste rock pile at Rabbit Lake Mine. *In Proc. of Fourth International Conference on Uranium Mining & Hydrogeology*, Freiberg, Germany, September 11-16.
- Ayres, B., Lanteigne, L., and O'Kane, M., 2005. Design and construction of the backfilled pit cover system at Whistle Mine, Canada: a case study. *In Proc. of Securing the Future 2005, International Conference on Mining and the Environment*, Skelleftea, Sweden, June 27-July 1.
- Balistrieri, L.S., and T.T. Chao. 1990. Adsorption of selenium by amorphous iron oxyhydroxide and manganese dioxide, *Geochimica et Cosmochimica Acta*, v. 54, p. 739-751.
- Banci, V. A. 1994. "Wolverine." In *The Scientific Basis for Conserving Forest Carnivores: American Marten, Fisher, Lynx, and Wolverine in the Western United States*, eds. L. F. Ruggiero, K. B. Aubry, S. W. Buskirk, L. J. Lyon, and W. J. Zielinski. General Technical Report RM-254. US Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experimental Station, Fort Collins, Colorado.

- Bar-Yosef, B., and D., Meek. 1987. Selenium sorption by kaolinite and montmorillonite, *Soil Science*, v. 144, no. 1, p. 11-13.
- Barbour, M., J. Gerritsen, B. Snyder, and J. Stribling. 1999. Rapid bioassessment protocols for use in streams and wadeable rivers: periphyton, benthic macroinvertebrates, and fish. 2nd ed. EPA 841-B-99-002. US Environmental Protection Agency, Office of Water, Washington, DC.
- Barnard, L., F. Bybee, and L. Walker. 1958. Tosoiba. Utah Printing Company, Salt Lake City, Utah.
- Bauer, F. 1997. Selenium and soils in the western United States. *Electronic Green Journal*, Issue 7. University of Wyoming Libraries, Laramie, Wyoming.
- Belt, G. H., J. O'Laughlin, and T. Merrill. 1992. Design of Forest Riparian Buffer Strips for the Protection of Water Quality: Analysis of Scientific Literature. University of Idaho. Idaho Forest, Wildlife and Range Policy Analysis Group. Report No. 8.
- Berglund, J. 1999. Montana wetland assessment method. Montana Department of Transportation. Western EcoTech, Helena, Montana.
- Binford, L. R. 1980. Willow smoke and dogs' tails: hunter-gatherer settlement systems and archaeological site formation. *American Antiquity* 45: 4-20.
- Brinson, M. 1993. A hydrogeomorphic classification of wetlands. Army Corps of Engineers, Wetlands Research Program. Technical Report AW-DE.
- Buck, B. W. and J. L. Jones. 2002. Interagency/Industry Coordination to Respond to Selenium Contamination at Phosphate Mines in Southeastern Idaho. 24th Natl. Assoc. of Abandoned Mine Land Programs, Sept. 15-18, 2002, Park City, Utah.
- Buck B., A. Mayo, and R. Schmiermund. 2005. Seepage Characterization for Groundwater Modeling. Technical Memorandum, May 24, 2005.
- Bunte, K., and L. H. MacDonald. 1998. Scale Considerations and the Detectability of Sedimentary Cumulative Watershed Effects; Miscellaneous Report. US Department of Agriculture, Forest Service. February 1998.
- Bureau of Economic Analysis (BEA). 2004a. "Regional economic information system." Employment for Bannock, Caribou, and Power Counties, Idaho, and Lincoln County, Wyoming, in 1970, 1980, 1990, and 2000. Retrieved February 10, 2004, from <http://www.bea.doc.gov/bea/regional/reis/>.
- Bureau of Economic Analysis (BEA). 2004b. "Regional economic information system." Employment for Bannock, Caribou, and Power Counties, Idaho, and Lincoln County, Wyoming, in 2001 and 2002. Retrieved October 8, 2004, from <http://www.bea.doc.gov/bea/regional/reis/>.

- Bureau of Economic Analysis (BEA). 2004c. "Regional economic information system." Personal income by major source and earnings by industry for Bannock, Caribou, and Power Counties, Idaho and Lincoln County, Wyoming for 1970, 1980, 1990, and 2000. Retrieved October 7, 2004, from <http://www.bea.doc.gov/bea/regional/reis/>.
- Bureau of Economic Analysis (BEA). 2004d. "Regional economic information system." Personal income by major source and earnings by industry for Bannock, Caribou, and Power Counties, Idaho, and Lincoln County, Wyoming, for 2001 and 2002. Retrieved October 7, 2004, from <http://www.bea.doc.gov/bea/regional/reis/>.
- Bureau of Economic Analysis (BEA). 2004e. "Regional economic information system." Personal income, per capita personal income, nonfarm earnings, and average wages by county for Colorado, Idaho, Utah, and Wyoming for 2002. Retrieved October 7, 2004, from <http://www.bea.doc.gov/bea/regional/reis/>.
- Bureau of Community and Environmental Health (BCEH). 2001. Health Consultation: Evaluation of Selenium in Groundwater in the Southeast Idaho Phosphate Resource Area. Idaho Department of Health and Welfare. Boise, Idaho.
- Bureau of Community and Environmental Health (BCEH). 2006. Public Health Assessment, Southeast Idaho Phosphate Resource Area. Idaho Department of Health and Welfare. Boise, Idaho under cooperative agreement with the Agency for Toxic Substances and Disease Registry.
- Bureau of Environmental Health and Safety (BEHS). 2001. Health Consultation, Evaluation of Selenium in Beef, Elk, Sheep, and Fish in the Southeast Idaho Phosphate Resource Area. Idaho Division of Health, Department of Health and Welfare.
- Bureau of Environmental Health and Safety (BEHS). 2003. Health Consultation, Selenium in Fish Streams of the Upper Blackfoot river Watershed. Idaho Division of Health, Department of Health and Welfare.
- Bureau of Labor Statistics (BLS). 2004. "Quarterly census of employment and wages." Data for mining (NAICS 21) for Caribou County, Idaho. Retrieved November 3, 2004, from <http://stats.bls.gov/cew/home.htm>.
- Bureau of Land Management (BLM). 1981. Southeastern Idaho cultural resources overview: Burley and Idaho Falls Districts. US Department of the Interior, Bureau of Land Management, Idaho.
- Bureau of Land Management (BLM). 1987. Draft Pocatello resource management plan and environmental impact statement, Idaho Falls District. Bannock, Bear Lake, Bingham, Bonneville, Caribou, Frankling, and Power Counties, State of Idaho. Prepared by Department of the Interior, Bureau of Land Management, Idaho Falls, District. (With map).
- Bureau of Land Management (BLM). 1991. Environmental assessment, J.R. Simplot Company, Smoky Canyon Mine, phosphate lease mine plan, panel A-4 (I-012890). Prepared by Jeffrey Cundick, United States Department of the Interior, Bureau of Land Management, Pocatello Resource Area. November 13, 1991.

- Bureau of Land Management (BLM). 1992. Solid Minerals Reclamation Handbook: noncoal leasable minerals, locatable minerals, salable minerals. BLM Manual Handbook H-3042-1. US Department of the Interior. February 7, 1992.
- Bureau of Land Management (BLM). 1993. Riparian area management: process for assessing proper function condition. Technical Reference 1737-9. US Department of the Interior, Bureau of Land Management, Denver, Colorado.
- Bureau of Land Management (BLM). 1997. Panel E mine and reclamation plan & modification of federal Phosphate Lease I-30369. Finding of No Significant Impact/Decision Record. EA #ID-030-96-073. Located upon federal phosphate leases I-012890 and I-30369.
- Bureau of Land Management (BLM) and United States Forest Service (USFS). 1992. Final environmental assessment BLM #ID-030-03-06, J.R. Simplot Company, Smoky Canyon Phosphate Mine, Idaho, Phosphate Lease I-01890. Mine plan proposal, panel D. Mine plan modification, United States Forest Service, Special Use Permit application. United States Department of the Interior, Bureau of Land Management, Pocatello Resource Area. United States Department of Agriculture, Forest Service, Soda Springs Ranger District, Montpelier Ranger District. November 9, 1992.
- Bureau of Land Management (BLM) and US Forest Service (USFS). 1994. Environmental Assessment, BLM ID #030-04-34. I-28780. Exploration Plan Modification, Manning Creek Exploration License, U.S. Forest Service Special Use Permit. U.S. BLM, Pocatello Resource Area, U.S.F.S. Caribou National Forest, Soda Springs & Montpelier Ranger Districts.
- Bureau of Land Management (BLM) and US Forest Service (USFS). 1996. Environmental Assessment: 1996 Phosphate Exploration Program for Federal Lease I-01441. BLM #ID-030-96-21. U.S. Department of the Interior, Bureau of Land Management, Pocatello Resource Area.
- Bureau of Land Management (BLM) and US Forest Service (USFS). 1998a. Environmental Impact Statement: Caribou National Forest phosphate leasing proposal. US Department of the Interior, Bureau of Land Management, Idaho State Office. US Department of Agriculture, Forest Service, Caribou National Forest.
- Bureau of Land Management (BLM) and US Forest Service (USFS). 1998b. Final environmental impact statement: Caribou National Forest Phosphate Leasing Proposal. US Department of the Interior, Bureau of Land Management, Idaho State Office; US Department of Agriculture, Forest Service, Caribou National Forest. February 23, 1998.
- Bureau of Land Management (BLM) and US Forest Service (USFS). 2000. Final environmental impact statement, Dry Valley Mine, south extension project for FMC Corporation. US Department of the Interior, Bureau of Land Management, Pocatello Resource Area. US Department of Agriculture, Forest Service, Caribou National Forest.
- Bureau of Land Management (BLM) and US Forest Service (USFS). 2002. Final supplemental environmental impact statement: Smoky Canyon Mine, panels B & C. US Department of the Interior, Bureau of Land Management, Pocatello Field Office, Pocatello, Idaho. US Department of Agriculture, Forest Service, Caribou National Forest.

- Bureau of Land Management (BLM) and US Forest Service (USFS). 2003. Environmental Assessment BLM #ID-075-2003-013. South Manning Creek Simplot Exploration Project. Department of the Interior and the US Department of Agriculture. August 2003.
- Bureau of Land Management (BLM) and US Forest Service (USFS). 2005. Environmental Assessment for South Manning Creek Simplot Exploration Project. February 2005.
- Bureau of Land Management (BLM), US Forest Service (USFS), and Idaho Department of Environmental Quality (IDEQ). 2005. Draft Environmental Impact Statement for the Smoky Canyon Mine, Panels F and G. December 2005.
- Burton, N. 1991. Compass American guides: Wyoming. Compass American Guides, Oakland, California.
- Butler, R. B. 1978. A guide to understanding Idaho archaeology: the upper Snake and Salmon River country. 3rd ed. A special publication of the Idaho Museum of Natural History, Pocatello, Idaho.
- Butler, R. B. 1986. "Prehistory of the Snake and Salmon River area." Pp. 127 – 134 in Handbook of Native American Indians, eds. W. D'Azevedo and W. C. Sturtevant. Smithsonian Institute, Washington, DC.
- Canadell, J., R. B. Jackson, J. R. Ehleringer, H. A. Mooney, O. E. Sala, and E.-D. Schulze. 1996. Maximum rooting depth of vegetation types at the global scale. *Oecologia* 108:583-595.
- Carambelas, K. R., K. N. Lupo, and D. N. Schmitt. 1994. The Cedar Field cultural survey: a Class III cultural resources inventory of 2,240 acres in Power County, Idaho. Desert West Research Technical Report no.102. US Department of the Interior, Bureau of Land Management, Burley District, contract no. D910C30063. (Copies available from the Idaho Historic Preservation Office, Boise, Idaho.)
- Caribou-Targhee National Forest (CTNF). 2004. "About us." Retrieved from <http://www.fs.fed.us/r4/caribou-targhee/about/>.
- Chadwick Ecological Consultants, Inc. (Chadwick). 2001. Aquatic biological baseline study for the supplemental environmental impact statement, Smoky Canyon Mine panels B & C. Littleton, Colorado.
- Chapman, D. W. 1988. Critical review of variables used to define effects of fines in redds of large salmonids. *Transactions of the American Fisheries Society* 117:1-21.
- Chemical Market Reporter. 2002a. "Ammonia chemical profile." Retrieved February 26, 2004 from http://www.findarticles.com/cf_dls/m0FVP/19_262/9482763/p1/article.jhtml.
- Chemical Market Reporter. 2002b. Ammonium phosphates chemical profile. Last updated 18 November 2002. Retrieved 19 February 2004 from [m0FVP/18_262/94768322/p1/article.jhtml](http://www.findarticles.com/cf_dls/m0FVP/18_262/94768322/p1/article.jhtml).
- Chemical Market Reporter. 2003a. "Sulfuric acid (virgin) chemical profile." Retrieved February 3, 2003, from <http://static.highbeam.com/c/chemicalmarketreporter/february032003/>.

- Chemical Market Reporter. 2003b. "Sulfuric acid (smelter) chemical profile." Retrieved February 10, 2003, from [http://www.the-innovation-group.com/ChemProfiles/Sulfuric%20Acid%20\(smelter\).htm](http://www.the-innovation-group.com/ChemProfiles/Sulfuric%20Acid%20(smelter).htm).
- Christensen, D. and O'Kane, M., 2005. The use of "enhanced" moisture store and release cover system over reactive mine waste in arid and semi-arid climates. *In Proc. of 2005 National Meeting of the American Society of Mining and Reclamation*, Breckenridge CO, June 19-23, 2005.
- Clark, T., A. Harvey, R. Dorn, D. Genter, and C. Groves, eds. 1989. Rare, sensitive, and threatened species of the Greater Yellowstone Ecosystem. Cooperative project of the Northern Rockies Conservation Cooperative, Montana Natural Heritage Program, The Nature Conservancy, and Mountain West Environmental Services.
- Clements, L. J., and H. S. Forbush, eds. 1970. History of Teton Valley, Idaho, by B.W. Driggs (1926). Eastern Idaho Publishing Company, Rexburg, Idaho.
- Colorado Department of Labor and Employment. 2004. "Colorado area labor force data for 2002." Retrieved April 5, 2004, from <http://www.coworkforce.com/lmi/ali/2002laus.htm>.
- Compton, B. 2003. Personal communications with author (Big Game Manager, Idaho Department of Fish and Game), November 20, 2003.
- Conley, C. 1982. Idaho for the curious. Backeddy Books, Cambridge, Idaho.
- Connelly, J. W., M. W. Gratson, and P. Reese. 1998. "Sharp-tailed grouse." In *The Birds of North America: Life Histories for the 21st Century*, series eds. A. Poole and F. Gill. American Ornithologists' Union and the Academy of Natural Sciences of Philadelphia. Buteo Books, Shipman, Virginia.
- Connelly, J. W., M. A. Schroeder, A. R. Sands, and C. E. Braun. 2000. Guidelines to manage sage grouse populations and their habitats. *Wildlife Society Bulletin* 28(4):967-985.
- Connor, J.L. 1980. Geology of the Sage Valley 7.5 Minute Quadrangle, Caribou County, Idaho and Lincoln County, Wyoming. April 1980.
- Cowan, C.E., J.M. Zachara, and C.T. Resch. 1990. Solution ion effects on surface exchange of selenite on calcite, *Geochimica et Cosmochimica Acta*, v. 54, p. 2223-2234.
- Cowardin, L. M., V. Carter, F. C. Golet, and E. T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. US Fish and Wildlife Service, Washington, DC.
- Cressman, E. R. 1964. Geology of the Georgetown Canyon-Snowdrift Mountain area, southeastern Idaho. Bulletin 1153. US Department of the Interior, Geological Survey.
- Cummins, K. W., and M. A. Wilzbach. 2005. The inadequacy of fish-bearing criterion for stream management. *Aquatic Science* 67:486-491.
- Cunningham, J. C. 2004. Annual Environmental Monitoring Report CY 2003. J. R. Simplot Company, Smoky Canyon Mine Environmental Monitoring Program. March, 2004.

- Dean Runyan Associates. 1999. "Idaho travel impacts 1997." Retrieved November 2, 2004, from www.deanrunyan.com/pdf/id97.pdf.
- Dean Runyan Associates. 2003. "The economic impact of travel on Wyoming 1997 – 2002." Detailed state and county estimates. Retrieved November 2, 2004, from http://wyomingbusiness.org/tourism/2003_Runyan.pdf. Updated version available at <http://www.deanrunyan.com/pdf/wy04.pdf>.
- DeBano, L. F., and M. K. Wood. 1992. Soil Loss Tolerance as related to rangeland productivity. Proceedings of the Soil Quality Standards Symposium. USDA Forest Service, Watershed and Air Management, Washington, D.C. Publication WO-WSA-2
- Deforest, D. K., K. V. Brix, and W. J. Adams. 1999. Critical review of proposed residue-based selenium toxicity thresholds for freshwater fish. Human Ecological Risk Assessment 5:1187-1228.
- DeGraaf, R., V. Scott, R. Hamre, L. Ernst, and S. Anderson. 1991. Forest and rangeland birds of the United States: natural history and habitat use. Agricultural Handbook 688. US Department of Agriculture, Forest Service.
- Deiss, C. 1949. Phosphate deposits of the Deer Creek-Wells Canyon area, Caribou County, Idaho. Bulletin 955-C. US Department of the Interior, Geological Survey.
- Department of the Interior (DOI). 1995. Departmental Manual, Series: Intergovernmental Relations, Part 512: American Indian and Alaska Native Programs, Chapter 2: Departmental Responsibilities for Indian Trust Resources. Effective Date: 12/01/95.
- Derkey, P. D., B. Johnston, P. Palmer, and R. D. Hovland. 1984. Maps showing selected geology and phosphate resources of the Sage Valley Quadrangle, Caribou County, Idaho. Mineral Investigations Resource Map MR-73. US Department of the Interior, Geological Survey.
- Desborough, G. A. 1977. Preliminary report on certain metals of potential economic interest in thin vanadium rich zones in the Meade Peak Member of the Phosphoria Formation in western Wyoming and eastern Idaho. Open File Report 77-341. US Department of the Interior, Geological Survey.
- Desborough, G., E. DeWitt, J. Jones, A. Meier, and G. Meeker. 1999. Preliminary mineralogical and chemical studies related to the potential mobility of selenium and associated elements in Phosphoria Formation strata, southeastern Idaho. Open File Report 99-129. US Department of the Interior, Geological Survey.
- Dornfest, A. 2004. Personal communication between author (Tax Policy Supervisor with Idaho State Tax Commission) and Alan Isaacson of Isaacson & Associates, April 9, 2004.
- Druss, M., M. Dahlstrom, S. Wright, C. Hallock, and P. Rosa. 1979. Final report: intensive field study of archeological resources at drill locations and proposed roads. Smoky Canyon lease I-012890, J.R. Simplot Company, fall 1978. Idaho State University, Pocatello, Idaho.

- Druss, Mark, Max Dahlstrom, Claudia Druss, and Steve Wright. 1980a. Archaeological Investigations in the Smoky Canyon Area, 1980. Idaho State University, Pocatello, Idaho.
- Druss, Mark, Max Dahlstrom, Claudia Druss, and Steve Wright. 1980b. Final report: stage I investigation & analysis of archeological resources in pit area, mill sites, & dump site. Smoky Canyon lease #I-012890, J.R. Simplot Company, summer and fall 1979. Idaho State University, Pocatello, Idaho.
- Druss, Mark, Max Dahlstrom, Claudia Druss, and Steve Wright. 1981. Archaeological Investigations in the Smoky Canyon Area, 1980. Idaho State University, Pocatello, Idaho.
- Duehren, D. 2003. Personal communication with author (District Ranger, Montpelier Ranger District), July, 2003.
- Elliot, W.J., D. Page-Dumroese, and P.R. Robichad. 1996. The Effects of Forest Management on Erosion and Soil Productivity. Symposium on Soil Quality and Erosion Interaction sponsored by the Soil and Water Conservation Society of America, Keystone, Colorado, July 7, 1996.
- Energy Information Administration (EIA). 2006. U.S. Carbon Dioxide Emissions from Energy Sources 2005 Flash Estimate. U.S. Dept. of Energy, June 2006.
- Environmental Protection Agency (EPA). 1981. Office of Noise Abatement and Control. 1981. Noise Effects Handbook EPA 500-9-82-106, National Association of Noise Control Officials, Fort Walton Beach, Florida.
- Environmental Protection Agency (EPA). 1987. Ambient water quality criteria for selenium. EPA-440/6-87-008, Office of Water Regulation and Standards, Washington DC.
- Environmental Protection Agency (EPA). 2003a. Office of Air Quality Planning and Standards, Compilation of Air Pollution Emission Factors, Vol I & II, Fifth Edition, Version 6 and 10, Research Triangle Park, NC. 2003. Retrieved September 2004 from <http://www.epa.gov/air/data>.
- Environmental Protection Agency (EPA). 2003b. "Ecological soil screening levels for cadmium." Interim final, OSWER directive 925.7-65. Office of Emergency and Remedial Response, Washington, D.C. November 2003. Retrieved September 6, 2004, from <http://www.epa.gov/ecotox/ecossl/>.
- Enviromin Inc. 2006. Agrium Dry Valley Mine adsorption batch test results, Phase I data, Report prepared for Agrium Conda Phosphate Operations, May 31, 2006.
- Evans, J. G. 2004. "Strain distribution and structural evolution of the Meade Plate, southeastern Idaho." In Life Cycle of the Phosphoria Formation: From Deposition to Post-Mining Environment, ed. J. R. Hein, vol. 8 of Handbook of Exploration and Environmental Geochemistry, ed. M. Hale. Elsevier B.V., Amsterdam.
- Fahrig, L. 2003. Effects of habitat fragmentation on biodiversity. Annual Review of Ecology and Systematics 34:487-515.

- Federal Register. 1982. "Title 33: navigation and navigable waters." Regulatory Programs of the Corps of Engineers, vol. 47, no. 138.
- Federal Register. 1999. Royalty computation of phosphate production on western public lands, vol. 64, no. 58, pp. 14751-14753.
- Federal Reserve Board. 2004. "Industrial production index for pesticide, fertilizer and other agricultural chemicals manufacturing (NAICS 3253)." Data from January 1986 to present. Federal Reserve Statistical Release G.17, industrial production and capacity utilization, supplement. Retrieved April 21, 2004, from http://www.federalreserve.gov/releases/g17/table1_2.htm.
- Federal Writers Project, Works Progress Administration. 1937. Idaho: a guide in word and pictures. The Caxton Printers, Ltd., Caldwell, Idaho.
- Federal Writers Project, Works Progress Administration. 1938. The Idaho encyclopedia. The Caxton Printers, Ltd., Caldwell, Idaho.
- Fessler, A. J. 2003. Selenium Toxicity in Sheep Grazing on Reclaimed Phosphate Mining Sites. M.S. Thesis, University of Idaho.
- Fiori, F. A. 1981. "Historic Themes." In Southeastern Idaho Cultural Resource Overview, Burley and Idaho Falls Districts, ed. J. Fanzen. Final Report R-2 196. Commonwealth Associates, Inc., Jackson, Michigan.
- Fisher, S. E. 1991. "Selenium issues in drastically disturbed land, reclamation planning in arid and semiarid environments." In Proceedings of 1990 Billings Land Reclamation Symposium on Selenium in Arid and Semi-arid Environments in the Western United States. Circular no. 1064. US Department of the Interior, Geological Survey.
- Flanigan et al. 1998. Methods for Inventory and Environmental Risk Assessment of Road Drainage Crossings. USFS Water/Road Interaction Technology Series.
- Fletcher, J. L. 1980. Effects of noise on wildlife: a review of relevant literature 1971-1978. Pp 611-620 in Proceedings of the Third International Congress on Noise as a Public Health Problem, eds. J.V. Tobain, G. Jansen, and W.D. Ward. American Speech-Language-Hearing Association, Rockville, MD.
- Food and Agriculture Organization (FAO). 1992. Wastewater Treatment and Use In Agriculture – FAO Irrigation and Drainage Paper 47. ISBN 92-5-103135. Obtained from internet at <http://www.fao.org/docrep/T0551E/t0551e00.htm>.
- Frogwatch. 2004. "Western toad." BC Frogwatch Program, Ministry of Water, Land, and Air Protections, Government of British Columbia. Retrieved from <http://wlapwww.gov.bc.ca/wld/frogwatch/whoswho/factshts/westtoad.htm>.
- Fuller, C. C., and Davis, J. A., 1987, Processes and kinetics of Cd²⁺ sorption by a calcareous aquifer sand: *Geochimica et Cosmochimica Acta*, v. 51, p. 1491-1502.

- Furniss, M. J., T. D. Roelofs, and C. S. Yee. 1991. Chapter 8: Road Construction and Maintenance, in Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats. American Fisheries Society Special Publication 19. Edited by William R. Meehan, USDA Forest Service.
- Furniss et al. 1997. Diversion Potential at Road-Stream Crossings. USFS Water/Road Interaction Technology Series.
- Furniss et al. 2000. Hydrologically-Connected Roads: An Indicator of the Influence of Roads on Chronic Sedimentation, Surface Water Hydrology, and Exposure to Toxic Chemicals. In: Stream Notes, produced by Stream Systems Technology Center, USFS Rocky Mountain Research Station, Fort Collins, Colorado. July 2000.
- Garton, E. O., R. Vasterling, and J. T. Ratti. 2002a. Population-level assessment models for red-winged blackbird and American robin metapopulations in southeast Idaho. University of Idaho Department of Fish and Wildlife Resources. Final Report to Montgomery Watson Harza, Salt Lake City, Utah. April 22, 2002.
- Garton, E. O., R. Vasterling and J. T. Ratti. 2002b. Impact of selenium on birds in phosphate mining region of southeast Idaho, University of Idaho Department of Fish and Wildlife Resources. Presentation at 23rd Annual Meeting of Society of Environmental Toxicology and Chemistry. Salt Lake City, Utah. November 18, 2003.
- Gaquin, D. A., and K. A. DeBrandt, eds. 2002. 2002 county and city extra annual metro city and county data book. Bernan Press, Lanham, Maryland.
- Gehr, E. A., E. Lee, G. Johnson, J. D. Merritt, and S. Nelson. 1982. Southwestern Idaho class I cultural resources overview. US Department of the Interior, Bureau of Land Management, Boise and Shoshone District, Idaho.
- Golder Associates Ltd. 2006a. Review of Lemly (in Press). Memorandum from Peter Chapman, Blair McDonald to Greg Brown, JBR Environmental Consultants Inc. September 18, 2006
- Golder Associates Ltd. 2006b. Appendix to Smoky Canyon Mine, Panels F and G Environmental Impact Statement: Selenium and Fish, Prepared for JBR Environmental Consultants. September 29, 2006.
- Goodyear, A. C. 1979. A hypothesis for the use of cryptocrystalline raw materials among Paleo-Indian groups of North America. Research Manuscript Series 156. South Carolina Institute of Archaeology and Anthropology, Columbia, South Carolina.
- Grafe, C., C. Mebane, M. McIntyre, D. Essig, D. Brandt, and D. Mosier. 2002. The Idaho Department of Environmental Quality water body assessment guidance. 2nd ed. Idaho Department of Environmental Quality, Boise, Idaho.

- Grauch R.I., G.A. Desborough, G.P. Meeker, A.L. Foster, R.G. Tysdal, J.R. Herring, H.A. Lowers, B.A. Ball, R.A. Zielinski and E.A. Johnson. 2004. "Petrogenesis and mineralogic residence of selected elements in the Meade Peak Phosphatic Shale Member of the Permian Phosphoria Formation, Southeast Idaho." Pp 189 – 226 in Life Cycle of the Phosphoria Formation: From Deposition to Post-Mining Environment, ed. J. R. Hein, vol. 8 of Handbook of Exploration and Environmental Geochemistry, ed. M. Hale. Elsevier B.V., Amsterdam.
- Gray, D. M., D. S. Statham, and W. P. Statham. 2003. Baseline technical report for cultural resources, Deer and Manning Creek phosphate lease areas, Smoky Canyon Mine, Caribou County, Idaho. Frontier Historical Consultants, Grand View, Idaho.
- Gray, D. M., and W. P. Statham. 2004. Addendum, baseline technical report for cultural resources: panels F and G extension and transportation corridors, Smoky Canyon Mine, Caribou County, Idaho. Frontier Historical Consultants, Grand View, Idaho.
- Gray, D. M, and W. P. Statham. 2005. Addendum B, Baseline Technical Report for Cultural Resources: Panels F and G, Smoky Canyon Mine, Caribou County, Idaho. Frontier Historical Consultants, Grand View, Idaho.
- Great Lakes Environmental Center (GLEC). 2002. Aquatic life water quality criteria for selenium. Draft. Traverse City, Michigan.
- Greater Yellowstone Coalition (GYC). 2005. Technical report. Selenium analyses of water, macrophytes, macroinvertebrates, and fish samples collected in the Smoky Canyon Mine area. By Frank Weber, Research Triangle, North Carolina for the Greater Yellowstone Coalition. September, 2005.
- Greater Yellowstone Coalition (GYC). 2006. Letter from Marv Hoyt to BLM and USFS transmitting and discussing 2006 sampling data, dated July 5, 2006.
- Greater Yellowstone Coalition (GYC) and Natural Resources Defense Council (NRDC). 2006. Comments on the Draft Environmental Impact Statement Smoky Canyon Mine Panels F and G, Appendices L, M, and Q. March 20, 2006.
- Gresswell, R. E., W. J. Liss, and G. L. Larson. 1994. Life-history organization of Yellowstone cutthroat trout (*Oncorhynchus clarki bouvieri*) in Yellowstone Lake. Canadian Journal of Fisheries and Aquatic Sciences 51(S1):298-309.
- Greystone Environmental Consultants, Inc. (Greystone). 2006. Final wildlife technical report for the Blackfoot Bridge project environmental impact statement. Greystone Environmental Consultants, Greenwood Village, Colorado. January 2006.
- Grossman, G. D., R. E. Ratajczak, Jr., J. T. Petty, M. D. Hunter, J. T. Peterson, and G. Grenouillet. 2006. Population dynamics of mottled sculpin (*Pices*) in a variable environment: information theoretic approaches. Ecological Monographs 76(2):217-234.
- Groves, C., B. Butterfield, A. Lippincott, B. Csuti, and J. Scott. 1997. Atlas of Idaho's wildlife; integrating gap analysis and natural heritage information. Cooperative project of Idaho Conservation Data Center, The Nature Conservancy, University of Idaho, and US Geological Survey. Boise, ID.

- Gruhn, R. 1961. The archaeology of Wilson Butte Cave, south-central Idaho. Occasional Papers of the Idaho State University Museum, vol. 6. Pocatello, Idaho.
- Hallock, L. A., and K. R. McAllister. 2002. "Columbia spotted frog." Washington Herp Atlas. Retrieved November 4, 2004, from <http://www.dnr.wa.gov/nhp/refdesk/herp/>.
- Hamilton, S. 2002. Rationale for a tissue-based selenium criterion for aquatic life. *Aquatic Toxicology* 57: 85-100.
- Hamilton, S. J. 2004. Review of selenium toxicity in the aquatic food chain. *Science of the Total Environment* 326:1-31.
- Hamilton, S. J., and K. J. Buhl. 2003. Selenium and other trace elements in water, sediment, aquatic plants, aquatic invertebrates, and fish from streams in southeastern Idaho near phosphate mining operations: May 2001. Final Report as part of the US Geological Survey Western U.S. Phosphate Project May 23, 2003. Columbia Environmental Research Center.
- Hamilton, S. J., R. T. Muth, B. Waddell and T. W. May. 2000. Hazard assessment of selenium and other trace elements in wild larval razorback sucker from Green River, Utah. *Ecotoxicology and Environmental Safety* 45: 132-147.
- Hamilton S. J., K. J. Buhl and P. J. Lamothe. 2004. Selenium and other trace elements in water, sediment, aquatic plants, aquatic invertebrates, and fish from streams in southeast Idaho near phosphate mining. Pp 483 – 526 in *Life Cycle of the Phosphoria Formation: From Deposition to Post-Mining Environment*, ed. J. R. Hein, vol. 8 of *Handbook of Exploration and Environmental Geochemistry*, ed. M. Hale. Elsevier B.V., Amsterdam.
- Hardy, R. 2005. Effects of dietary selenium on cutthroat trout (*Onchorhynchus clarki*): growth and reproductive performance. Final report. University of Idaho, Aquaculture Research Institute, Hagerman, Idaho.
- Hartman, G. F. and T. G. Brown 1987. Use of small, temporary, floodplain tributaries by juvenile salmonids in a west coast rainforest drainage basin, Carnation Creek, BC. *Canadian Journal of Fisheries and Aquatic Sciences* 44:262-270.
- Hausenbuiller, R. L. 1972. *Soil Science Principles and Practices*. Wm. C. Brown Company Publishers, Dubuque, Iowa.
- Haws, R. A., and G. Möller. 1997. Selenium biogeochemistry and environmental impact: a review. Center for Hazardous Waste Remediation, Analytical Sciences Laboratory, Department of Food Science and Toxicology, University of Idaho, Moscow, Idaho.
- Hayward, G. 1994. "Review of technical knowledge: boreal owls." In *Flammulated, Boreal, and Great Gray Owls in the United States: a Technical Conservation Assessment*, eds. G. D. Hayward and J. Vermeer. US Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station and the Rocky Mountain Region.

- Hein, J.R. (editor). 2004. Life cycle of the Phosphoria Formation: from deposition to post-mining environment, vol. 8 of Handbook of Exploration and Environmental Geochemistry, ed. M. Hale. Elsevier B.V., Amsterdam.
- Herring, J. R. 1990. "Selenium geochemistry -- a conspectus," as presented in a selected bibliography on selenium by Case et al. Bulletin 69. US Department of the Interior, Geological Survey, Laramie, Wyoming.
- Herring, J. R. 2004. "Rock leachate geochemistry of the Meade Peak Phosphatic Shale Member of the Phosphoria Formation, southeast Idaho." In Life Cycle of the Phosphoria Formation: From Deposition to Post-Mining Environment, ed. J. R. Hein, vol. 8 of Handbook of Exploration and Environmental Geochemistry, ed. M. Hale. Elsevier B.V., Amsterdam.
- Herring, J.R. and R.I. Grauch. 2004. Lithochemistry of the Meade Peak Phosphatic Shale Member of the Phosphoria Formation, Southeast Idaho. In Life Cycle of the Phosphoria Formation: From Deposition to Post-Mining Environment, ed. J.R. Hein, vol.8 of Handbook of Exploration and Environmental Chemistry, ed. M. Hale. Elsevier B.V. Amsterdam.
- Herring, J. R., G. A. Desborough, R. G. Tysdal, and R. I. Grauch. 1999. Selenium in weathered and unweathered parts of the Meade Peak Phosphatic Member of the Phosphoria Formation, southeastern Idaho. Geological Society of America abstracts with programs, Rocky Mountain section, April 1999.
- Herring, J. R., R. I. Grauch, R. G. Tysdal, S. A. Wilson, and G. A. Desborough. 2000. Chemical composition of weathered and less weathered strata of the Meade Peak Phosphatic Shale Member of the Permian Phosphoria Formation. Measured sections G and H, Sage Creek area of the Webster range, Caribou County, Idaho. Open-File Report 99-147-D. US Department of Interior, Geological Survey.
- Heyrend, H. 2004. Personal communication, Range Conservationist, Montpelier Ranger District. Email dated January 13, 2004, regarding comments on the scoping summary report.
- Hilderbrand, R. H. 2003. The roles of carrying capacity, immigration, and population synchrony on persistence of stream-resident cutthroat trout. Biological Conservation 110:257-266.
- Hilderbrand, R. H., and J. L. Kershner. 2000. Movement patterns of stream-resident cutthroat trout in Beaver Creek, Idaho-Utah. Transactions of the American Fisheries Society 129:1160-1170.
- Hilton, F. W., P. V. Hodson, and S. J. Sliniger. 1980. The requirements and toxicity of selenium in rainbow trout (*Salmo gairdneri*). Journal of Nutrition 110:2527-2535. Cited in Appendix 3C.
- Hinz, C., and H. M. Slim. 1994. Transport of zinc and cadmium in soil: Experimental evidence and modeling approaches: Soil Science Society America Journal 58:1316-1327.

- Hodsen, P. V., D. J. Spry, and B. R. Blunt. 1980. Effects on rainbow trout (*Salmo gairdneri*) of a chronic exposure to waterborne selenium. *Canadian Journal of Fish and Aquatic Sciences* 37:233-240. Cited in Appendix 3C.
- Hoffman, D. J.; B. A. Rattner; G. A. Burton, Jr.; and J. Cairns, Jr. 2003. *Handbook of ecotoxicology*. 2nd Edition. CRC Press LLC. Danvers, Massachusetts, USA.
- Holmer, R. N. 1986. "Common projectile points of the intermountain west." Pp. 89 – 115 in *Anthropology of the Desert West: Essays in Honor of Jesse D. Jennings*, eds. C. J. Condie and D. D. Fowler. University of Utah Anthropological Papers, no.110. Salt Lake City, Utah.
- Hornocker, M., and H. Hash. 1981. Ecology of the wolverine in northwestern Montana. *Canadian Journal of Zoology* 59: 1286-1301.
- Hunn, J. B., S. J. Hamilton, and D. R. Buckler. 1987. Toxicity of sodium selenite to rainbow trout fry. *Water Research* 21:233-238. Cited in Appendix 3C.
- Idaho Department of Commerce (IDC). 2003a. "Bannock County profile." Retrieved April 9, 2004, from <http://www.idoc.state.id.us/idcomm/profiles/index.html>.
- Idaho Department of Commerce (IDC). 2003b. "Caribou County profile." Retrieved April 9, 2004, from <http://www.idoc.state.id.us/idcomm/profiles/index.html>.
- Idaho Department of Commerce (IDC). 2003c. "Power County profile." Retrieved April 9, 2004, from <http://www.idoc.state.id.us/idcomm/profiles/index.html>.
- Idaho Department of Commerce and Labor. 2004. "Monthly labor force." Employment and unemployment data for Bannock, Caribou, and Power Counties, January 1999 – August 2004. Retrieved October 13, 2004, from <http://www.jobservice.ws/?PAGEID=67&SUBID=180>.
- Idaho Department of Environmental Quality (IDEQ). 2001. Blackfoot River TMDL waterbody assessment and total maximum daily load.
- Idaho Department of Environmental Quality (IDEQ). 2002a. Air Quality Modeling Guideline. Air Quality Division Stationary Source Program.
- Idaho Department of Environmental Quality (IDEQ). 2002b. Water body assessment guidance. 2nd ed.
- Idaho Department of Environmental Quality (IDEQ). 2002c. Area-wide human health and ecological risk assessment: Southeast Idaho Phosphate Mining Resource Area.
- Idaho Department of Environmental Quality (IDEQ). 2003. Guide to selection of sediment targets for use in Idaho TMDLs.
- Idaho Department of Environmental Quality (IDEQ). 2004a. Area-wide risk management plan, removal action goals and objectives, and action levels for addressing releasing and impacts from historic phosphate mining operations in southeast Idaho. Southeast Idaho Phosphate Mining Resource Area.

- Idaho Department of Environmental Quality (IDEQ). 2004b. Final 2003 Supplement to 2001 Total Maximum Daily Load Baseline Monitoring Report. January 2004.
- Idaho Department of Environmental Quality (IDEQ). 2004c. Area-wide Investigation: Orphan Mine Site Preliminary Assessment Screening Report. April 2004.
- Idaho Department of Environmental Quality (IDEQ). 2005a. Assessment Unit Status Reports and BURP Field Data. Retrieved March 2005 from <http://mapserver.deq.state.id.us/Website/deqwaters/viewer.htm>.
- Idaho Department of Environmental Quality (IDEQ). 2005b. "Principals and Policies for the 2002 Integrated (303(d)/303(b)) Report . Retrieved August 21, 2006 from http://www.deq.state.id.us/water/data_reports/surface_water/monitoring/2002.cfm#down.
- Idaho Department of Fish and Game (IDFG). 2000. (Unpublished) "Elk historical populations - Diamond Creek Zone southeastern Idaho." Received from C. Anderson, Idaho Department of Fish and Game, Pocatello, Idaho.
- Idaho Department of Fish and Game (IDFG). 2003. "Hunting in Idaho." Retrieved from <http://fishandgame.idaho.gov/cms/hunt>.
- Idaho Department of Fish and Game (IDFG). 2004. (Unpublished) "Black bear and mountain lion harvest data." Received from C. Anderson, Idaho Department of Fish and Game, Pocatello, Idaho.
- Idaho Department of Labor (IDL). 2004a. "Bannock County profile." Retrieved April 8, 2004, from <http://www.labor.state.id.us/lmi/pubs/profilemenu.htm>.
- Idaho Department of Labor (IDL). 2004b. "Caribou County profile." Retrieved April 8, 2004, from <http://www.labor.state.id.us/lmi/pubs/profilemenu.htm>.
- Idaho Department of Labor (IDL). 2004c. "Power County profile." Retrieved April 8, 2004, from <http://www.labor.state.id.us/lmi/pubs/profilemenu.htm>.
- Idaho Department of Labor (IDL). 2004d. "Bear Lake County profile." Retrieved April 8, 2004, from <http://www.labor.state.id.us/lmi/pubs/profilemenu.htm>.
- Idaho Department of Labor (IDL). 2004e. "Bingham County profile." Retrieved April 8, 2004, from <http://www.labor.state.id.us/lmi/pubs/profilemenu.htm>.
- Idaho Department of Labor (IDL). 2004f. "Bonneville County profile." Retrieved April 8, 2004, from <http://www.labor.state.id.us/lmi/pubs/profilemenu.htm>.
- Idaho Department of Labor (IDL). 2004g. "Franklin County profile." Retrieved April 8, 2004, from <http://www.labor.state.id.us/lmi/pubs/profilemenu.htm>.
- Idaho Department of Labor (IDL). 2004h. "Ondeida County profile." Retrieved April 8, 2004, from <http://www.labor.state.id.us/lmi/pubs/profilemenu.htm>.

- Idaho Department of Labor (IDL). 2004i. Telephone conversation between Shelly Allen (Labor Market Economist, Pocatello Job Service Office) and Alan Isaacson of Isaacson & Associates, April 19, 2004.
- Idaho Department of Lands (IDL). 2000. Forest Practices Cumulative Watershed Effects Process for Idaho. March 2000.
- Idaho Department of Water Resources (IDWR). 2004. "Water rights." Retrieved January 26, 2004, from <http://www.idwr.state.id.us/water/rights/default.htm>.
- Idaho Economics. 2006. JR Simplot Company's Don Plant in Pocatello, Idaho and SmokyCanyon Phosphate Mine in Caribou County, Idaho: An Economic Impact Analysis. Idaho Economics, Boise, Idaho. March 2006.
- Idaho Geological Survey (IGS). 2004. "Idaho earthquake information." Retrieved September 2004, from <http://www.idahogeology.com/services/geologic hazards/earthquakes/eqrisk.html>.
- Idaho Mining Association (IMA). 2000. Existing Best Management Practices at Operating Mines, Southeast Idaho Phosphate Resource Area Selenium Project. IMA Selenium Committee. March 2000.
- Idaho Museum of Natural History (IMNH). 2001. "Bats: key to the bats of Idaho and Utah." Retrieved November 1, 2004, from <http://imnh.isu.edu/Bat-page/batshome.htm>.
- Idaho State Historical Society (ISHS). 1971. "Site report: stage lines – Salt Lake – Montana." Reference Series no. 147. Retrieved September 2004, from <http://www.idahohistory.net/Reference%20Series/0147.doc>.
- Idaho State Historical Society (ISHS). 1981a. "Site report – Soda Springs area." Reference Series no. 654. Retrieved September 2004, from www.idahohistory.net/Reference%20Series/0654.doc.
- Idaho State Historical Society (ISHS). 1981b. "Site report: Caribou Mountain – Tincup Creek." Reference Series no. 205. Retrieved September 2004, from www.idahohistory.net/Reference%20Series/0205.doc.
- Idaho State Historic Preservation Office (ISHPO). 2006. Letter regarding clarification of the National Register eligibility of site CB-342 between Mary Anne Davis (Associate State Archaeologist) and Ali Abusaidi, CTNF Forest Archaeologist. May 5, 2006.
- Idaho State Parks and Recreation (IDPR) 2005. Outdoor Recreation Data Center, accessed online at: www.idahoparks.org/Data_Center/statistics.html. Site visited: September 8, 2005.
- Idaho Water Resources Research Institute (IWRRI). 1980. Interactions of mining and water resource systems in the southeastern Idaho phosphate field. University of Idaho, Moscow, Idaho.

- International Civil Aviation Organization. 2006. Retrieved from [http://en.wikipedia.org/wiki/International Civil Aviation Organisation](http://en.wikipedia.org/wiki/International_Civil_Aviation_Organisation). [http://Adiabatic lapse rate - Wikipedia, the free encyclopedia.htm](http://Adiabatic_lapse_rate_-_Wikipedia,_the_free_encyclopedia.htm).
- International Organization for Standardization (ISO). 1996. Acoustics – Attenuation of sound during propagation outdoors – Part 2: General method of calculation, Geneva Switzerland.
- Intermountain West Joint Venture (IWJV). 2005. Coordinated Implementation Plan for Bird Conservation in Idaho. Idaho State Steering Committee. Idaho Department of Fish and Game, Boise, Idaho. Authored by Sallabanks, R., J. McCreary, J. Augsburger, S. Bouffard, D. Kemner, and L. Lunte.
- Issak, D. J. 2001. A landscape ecological view of trout populations across a Rocky Mountain watershed. Ph.D. Dissertation, Department of Zoology and Physiology, University of Wyoming, Laramie.
- Issak, D. J., and W. A. Hubert. 2004. Nonlinear response of trout abundance to summer stream temperatures across a thermally diverse montane landscape. Transactions of the American Fisheries Society 133:1254-1259.
- JBR Environmental Consultants, Inc. (JBR). 2001a. Data Report for Soil/Growth Medium and Vegetation Sampling at the J.R. Simplot Smoky Canyon Mine. Prepared for J.R. Simplot, Company, Afton, Wyoming. June 2001.
- JBR Environmental Consultants, Inc. (JBR). 2001b. Technical report 1.0: geology, minerals and topography; Smoky Canyon Mine, panels B & C supplemental environmental impact statement, rev. 16.
- JBR Environmental Consultants, Inc. (JBR). 2001c. Technical report 3.0: water resources; Smoky Canyon Mine, panels B & C supplemental environmental impact statement.
- JBR Environmental Consultants, Inc. (JBR). 2001d. Environmental assessment: Manning Creek Simplot exploration project. BLM #ID-075-2001-04, Pocatello Field Office, Pocatello, Idaho.
- JBR Environmental Consultants, Inc. (JBR). 2004a. Public scoping summary, Smoky Canyon Mine, panels F & G extension.
- JBR Environmental Consultants. 2004b. Preparation plan, Smoky Canyon Mine panels F & G environmental impact statement.
- JBR Environmental Consultants, Inc. (JBR). 2004c. Memorandum on Crow Creek water balance with winter data, by Brian Buck.
- JBR Environmental Consultants, Inc. (JBR). 2004d. Groundwater modeling report: Smoky Canyon Mine panels F & G extension area.
- JBR Environmental Consultants, Inc. (JBR). 2006. Selenium Data for Southeast Idaho, October 2006.

- JBR Environmental Consultants, Inc. (JBR). 2006b. Technical Memo regarding "Selenium Increases form dust Fallout at Panels F& G", July 12, 2006.
- JBR Environmental Consultants, Inc. (JBR). 2007. Groundwater Flow and Solute Transport Modeling Report, Smoky Canyon Mine, Panels F and G Extension Area.
- Joyce, M. P., and W. A. Hubert. 2004. Spawning ecology of finespotted Snake River cutthroat trout in spring streams of the Salt River Valley, Wyoming. *Western North American Naturalist* 64(1):78-85.
- J.R. Simplot Company. 2006a. Smoky Canyon Mine – Proposed F and G Panels Expansion, Cover System Design Feasibility Engineering Report. July 2006.
- J.R. Simplot Company. 2006b. Dinwoody Data 2004 and 2005 Testing, Memorandum from Chris McCourt to EIS Technical and Project Management Teams. October 23 2006.
- Kappler, C. 1941. Un-ratified Indian Treaties of the United States. Government Printing Office. Washington.
- Kelly, R. L., and L. C. Todd. 1988. Coming into the country: early Paleo-Indian hunting and mobility. *American Antiquity* 53: 231-244.
- Keinath, D., and M. McGee. 2005. Boreal toad (*Bufo boreas boreas*): a technical conservation assessment. Prepared for the US Department of Agriculture, Forest Service, Rocky Mountain Region, Species Conservation Project. May 25, 2005.
- Kennedy, C. J., L. E. McDonald, R. Loveridge, and M. M. Stroscher. 2000. The effects of bioaccumulated selenium on mortalities and deformities in the eggs, larvae, and fry of a wild population of cutthroat trout. *Archives of Environmental Contamination and Toxicology* 39:46-52.
- Ketcheson, G. L., and W. F. M. Megahan. 1996. Sediment Production and Downslope Sediment Transport from Forest Roads in Granitic Watersheds. USDA Forest Service Intermountain Research Station Research Paper INT-RP-486.
- King County Department of Development and Environmental Services (King County). 2003. Addendum to the Final Environmental Impacts Statement for North Bend Gravel Operation, Updated Noise Analysis. Renton, WA.
- Knight Piésold and Company. 2005. HELP Modeling for Simplot Panels F and G. Prepared for JBR Environmental Consultants, Inc.
- Koehler, G. M., and J. D. Brittell. 1990. Managing spruce-fir habitat for lynx and snowshoe hares. *Journal of Forestry* 88: 10-14.
- Koller, L. D., and J. H. Exon. 1986. The two faces of selenium-deficiency and toxicity are similar in animals and man. *Canadian Journal of Veterinary Research* 50: 297-306.
- Koplin, J. 1972. Measuring predator impact of woodpeckers on spruce beetles. *Journal of Wildlife Management* 36: 308-320.

- Kroschwitz, J. I., and M. Howe-Grand, eds. 1992. "Ammonia." Pp 638 – 691 in Kirk-Othmer Encyclopedia of Chemical Technology, vol. 2. John Wiley & Sons, Inc., Hoboken, New Jersey.
- Kroschwitz, J. I., and M. Howe-Grand, eds. 1993. "Fertilizers." Pp 433 – 512 in Kirk-Othmer Encyclopedia of Chemical Technology, vol. 10. John Wiley & Sons, Inc., Hoboken, New Jersey.
- Kuck, L. 1984. Southeast wildlife studies, vols. 1 and 2. Job Completion Report W-160R. Idaho Department of Fish and Game, Boise, Idaho.
- Kuck, L., G. L. Hompland, and E. H. Merrill. 1985. Elk calf response to simulated mine disturbance in southeast Idaho. *Journal of Wildlife Management* 49(3):751-757.
- Lakin, H. W. 1972. Selenium accumulation in soils and its absorption by plants and animals. *Geological Society American Bulletin* no. 83.
- Lapakko, K. 1993. Evaluation of tests for predicting mine waste drainage pH. Report to the Western Governors' Association, Minnesota Department of Natural Resources, Division of Minerals, St. Paul, Minnesota.
- Lemly, A. 1993a. Teratogenic effects of selenium in natural populations of freshwater fish. *Ecotoxicology and Environmental Safety* 26:181-204.
- Lemly, A. 1993b. Metabolic stress during winter increases the toxicity of selenium to fish. *Aquatic Toxicology* 27:133-138. Cited in Appendix 3C.
- Lemly, A. D. 1995. A Protocol for Aquatic Hazard Assessment of Selenium. *Ecotoxicol. Environ. Saf.*, 32:280-288.
- Lemly, A. D. 1997. Ecosystem recovery following selenium contamination in a freshwater reservoir. *Ecotoxicology and Environmental Safety* 36:275-281.
- Lemly, A. D. 1999. Selenium impacts on fish. *Human and Ecological Risk Assessment* 5(6):1139-1151.
- Lemly, A. D. 2001. A Technical Framework for Implementing Aquatic Ecosystem Loading Limits (TMDLs) to Reduce Selenium Pollution From Phosphate Mining Wastes on Caribou National Forest, Idaho. Prepared for U.S. Dept. Justice, January 2001.
- Lemly, A. D. 2002. Selenium Assessment in Aquatic Ecosystems: A Guide for Hazard Evaluation and Water Quality Criteria. In *Springer Series on Environmental Management*. series ed., D. E. Alexander. Springer, New York.
- Lemly, A. D. 2007. A procedure for NEPA assessment of selenium hazards associated with mining. *Environmental Monitoring and Assessment* 125(1-3):361-375.
- Lemly, A. D., and G. J. Smith. 1987. Aquatic cycling of selenium: implications for fish and wildlife. US Fish and Wildlife Service, Washington, D. C. Fish and Wildlife Leaflet 12.

- Letourneau, P. D. 1992. Folsom raw material use on the southern plains. Paper presented at the 57th annual meeting of the Society for American Archaeology, Pittsburgh, Pennsylvania.
- Lincoln County Community Profile. 1998. Available from Lincoln County, Wyoming, county government.
- Lohse, E. S. 1993. "Southeastern Idaho Native American prehistory and history." In Manual for Archaeological Analysis: Field and Laboratory Analysis Procedures. Department of Anthropology, Miscellaneous Paper no. 92-1 (revised), Idaho Museum of Natural History, Pocatello, Idaho.
- Lowell, W. R. 1952. Phosphatic rocks in the Deer Creek-Wells Canyon area, Idaho. Bulletin 982-A. US Department of the Interior, Geological Survey.
- Mackowiak C. L., M. C. Amacher, J. O. Hall and J. R. Herring. 2004. "Uptake of selenium and other contaminant elements into plants and implications for grazing animals in southeast Idaho." Pp 527 – 558 in Life Cycle of the Phosphoria Formation: From Deposition to Post-Mining Environment, ed. J. R. Hein, vol. 8 of Handbook of Exploration and Environmental Geochemistry, ed. M. Hale. Elsevier B.V., Amsterdam.
- Madsen, D. B. 1982. "Get it where the gettin's good: a variable model of Great Basin subsistence and settlement based on data from the eastern Great Basin." Pp. 207 – 226 in Man and Environment in the Great Basin, eds. D. B. Madsen and J. F. O'Connell. Society for American Archaeology (SAA) Paper no. 2. Washington, D.C.
- Magoun, A., N. Dawson, J. Ray, and J. Bowman. 2005. Forest management considerations for wolverine populations in areas of timber harvest in Ontario: preliminary recommendations. Ontario Boreal Wolverine Project.
- Maier, K., and A. Knight. 1994. Ecotoxicology of selenium in freshwater systems. Reviews of Environmental Contamination and Toxicology 134: 31-48.
- Mallea-Olaetxe, J. 2000. *Speaking Through the Aspens: Basque Tree Carvings in California and Nevada*. University of Nevada Press, Reno and Las Vegas.
- Manning, A., and S. Deaver. 1992. "Ethnohistoric (aboriginal) resources." Pp. 4-1 – 4-32 in American Falls Reservoir Class I Inventory, vol.1 (draft), eds. J. S. Bruder, S. E. Burke, and D. L. Douglas. Research Paper no. 1. Dames and Moore Intermountain Cultural Resource Services, Boise, Idaho.
- Mansfield, G. R. 1927. Geography, geology, and mineral resources of part of southeastern Idaho. Professional Paper 152. US Department of the Interior, Geological Survey.
- Mariah Associates, Inc. (Mariah). 1990. An environmental assessment of a proposed tailings disposal expansion project: Smoky Canyon Phosphate Mine, Caribou County, Idaho. Laramie, Wyoming.
- Maxim Technologies, Inc. (Maxim). 2000. Final baseline technical report: water resources. first, second and third quarter, 2000. Smoky Canyon Mine, Caribou County, Idaho. Maxim project no. 2000601.310. November 2000.

- Maxim Technologies, Inc. (Maxim). 2001. Revised final baseline technical report: water resources. Smoky Canyon Mine, Caribou County, Idaho. Maxim project no. 2000601.310. April 9, 2001.
- Maxim Technologies, Inc. (Maxim). 2003a. Baseline technical report: wetlands. Manning and Deer Creek phosphate lease areas (panels F & G), Smoky Canyon Mine, Caribou County, Idaho. Prepared for J.R. Simplot Company, Pocatello, Idaho.
- Maxim Technologies, Inc. (Maxim). 2003b. Wetland surveys and identification of waters of the United States. Manning and Deer Creek phosphate lease areas (panels F & G), Smoky Canyon Mine, Caribou County, Idaho. Prepared for J.R. Simplot Company, Pocatello, Idaho.
- Maxim Technologies, Inc. (Maxim). 2003c. Plan of study: fisheries and aquatic resources. Manning and Deer Creek phosphate lease areas (panels F & G), Smoky Canyon Mine, Caribou County, Idaho. Prepared for J.R. Simplot Company, Pocatello, Idaho, October, 2003.
- Maxim Technologies, Inc. (Maxim). 2004a. Baseline technical report: geology, minerals and topography. Manning and Deer Creek phosphate lease areas (panels F & G), Smoky Canyon Mine, Caribou County, Idaho. Prepared for J.R. Simplot Company, Pocatello, Idaho, July 2004.
- Maxim Technologies, Inc. (Maxim). 2004b. Baseline technical report: phase I environmental geochemistry. Manning and Deer Creek phosphate lease areas (panels F & G), Smoky Canyon Mine, Caribou County, Idaho. Prepared for J.R. Simplot Company, Pocatello, Idaho, March 2004.
- Maxim Technologies, Inc. (Maxim). 2004c. Baseline technical report: water resources. Manning and Deer Creek phosphate lease areas (panels F & G), Smoky Canyon Mine, Caribou County, Idaho. Prepared for J.R. Simplot Company, Pocatello, Idaho, June 2004.
- Maxim Technologies, Inc. (Maxim). 2004d. Addendum, baseline technical report: surface water resources. Manning and Deer Creek phosphate lease areas (panels F & G), Smoky Canyon Mine, Caribou County, Idaho. Prepared for J.R. Simplot Company, Pocatello, Idaho, November 2004.
- Maxim Technologies, Inc. (Maxim). 2004e. Baseline technical report: vegetation resources. Manning and Deer Creek phosphate lease areas (panels F & G), Smoky Canyon Mine, Caribou County, Idaho. Prepared for J.R. Simplot Company, Pocatello, Idaho.
- Maxim Technologies, Inc. (Maxim). 2004f. Baseline technical report: soil resources. Manning and Deer Creek phosphate lease areas (panels F & G), Smoky Canyon Mine, Caribou County, Idaho. Prepared for J.R. Simplot Company, Pocatello, Idaho, July 2004.
- Maxim Technologies, Inc. (Maxim). 2004g. Final baseline technical report: land use, access, recreation and grazing. Manning and Deer Creek phosphate lease areas (panels F & G), Smoky Canyon Mine, Caribou County, Idaho. Prepared for J.R. Simplot Company, Pocatello, Idaho.

- Maxim Technologies, Inc. (Maxim). 2004h. Baseline technical report: wetland resources for potential haul roads and Crow Creek Road. Manning and Deer Creek phosphate lease areas (panels F & G), Smoky Canyon Mine, Caribou County, Idaho. Prepared for J.R. Simplot Company, Pocatello, Idaho.
- Maxim Technologies, Inc. (Maxim). 2004i. Addendum, baseline technical report: wetland resources for potential haul roads and Crow Creek Road. Manning and Deer Creek phosphate lease areas (panels F & G), Smoky Canyon Mine, Caribou County, Idaho. Prepared for J.R. Simplot Company, Pocatello, Idaho.
- Maxim Technologies, Inc. (Maxim). 2004j. Baseline technical report: wildlife resources. Manning and Deer Creek phosphate lease areas (panels F & G), Smoky Canyon Mine, Caribou County, Idaho. Prepared for J.R. Simplot Company, Pocatello, Idaho.
- Maxim Technologies, Inc. (Maxim). 2004k. Baseline technical report: fisheries and aquatic resources. Manning and Deer Creek phosphate lease areas (panels F & G), Smoky Canyon Mine, Caribou County, Idaho. Prepared for J.R. Simplot Company, Pocatello, Idaho.
- Maxim Technologies, Inc. (Maxim). 2004l. Baseline technical report: Environmental Geochemistry. Manning and Deer Creek Phosphate Lease Areas (Panels F & G), Smoky Canyon Mine, Caribou County, Idaho. Prepared for J.R. Simplot Company, Pocatello, Idaho.
- Maxim 2005a. 2005 Water Resources Monitoring. Manning Creek and Deer Creek Phosphate Lease Areas (Panels F & G) Smoky Canyon Mine Caribou County, Idaho. Prepared for J.R. Simplot Company. December 2005.
- Maxim Technologies, Inc. (Maxim). 2005b. Addendum baseline technical report: fisheries and aquatic resources. Manning and Deer Creek phosphate lease areas (panels F & G), Smoky Canyon Mine, Caribou County, Idaho. Prepared for J.R. Simplot Company, Pocatello, Idaho.
- Maxim Technologies, Inc. (Maxim). 2006. Second addendum to baseline technical report: fisheries and aquatic resources. Manning and Deer Creek phosphate lease areas (panels F & G), Smoky Canyon Mine, Caribou County, Idaho. Prepared for J.R. Simplot Company, Pocatello, Idaho.
- May, B. E., W. Urie, and B. B. Shepard. 2003. Range-wide status of Yellowstone cutthroat trout (*Ohcorhynchus clarki bouvieri*): 2001. Status update developed under oversight of a Yellowstone cutthroat interagency coordination group, including Idaho Department of Fish and Game; Montana Fish, Wildlife, and Parks; Montana Cooperative Fishery Research Unit; USDA Forest Service, Missoula, Montana; USDA Forest Service, Bozeman, Montana; and Wyoming Department of Fish and Game.
- Mayland, H. F., L. P. Gough, and K. C. Stewart. 1991. "Selenium mobility in soils and its absorption, translocation, and metabolism in plants." In Proceedings of the 1990 Billings Land Reclamation Symposium on Selenium in Arid and Semi-arid Environments in the Western United States. Circular no. 1064. US Department of the Interior, Geological Survey.

- Mayo, A., A. Mullen, and D. Ralston. 1985. Hydrogeochemistry of the Meade Thrust Allochthon, southeast Idaho and its relevance to stratigraphic and structural groundwater flow control. *Journal of Hydrology* 76. Elsevier Publishers.
- Mayo and Associates (Mayo). 2004. Isotopic analysis of surface and groundwater in the Smoky Canyon Mine area, southeastern Idaho. Report prepared for JBR Environmental Consultants, Inc. June 21, 2004.
- McCallum, D. 1994. "Review of technical knowledge: flammulated owls." In *Flammulated, Boreal, and Great Gray Owls in the United States: a Technical Conservation Assessment*, eds. G. D. Hayward and J. Vermeer. US Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station and the Rocky Mountain Region.
- McDaniel, G. W. 2005. Northern goshawk population monitoring and inventory. Final report 2005. Challenge Cost Share Project 05-CS-11041563-028.
- McDonald, B. G., and P. M. Chapman. 2007. Selenium effects: a weight of evidence approach. *Integrated Environmental Assessment and Management* 3(1):129-136.
- McKelvey, V. E. et al. 1959. The Phosphoria, Park City, and Shedhorn Formations in the Western Phosphate Field. Professional Paper 313-A. US Department of the Interior, Geological Survey.
- Meatte, D. S. 1990. Prehistory of the western Snake River basin. *Occasional Papers of the Idaho Museum of Natural History*, no.35. Pocatello, Idaho.
- Merrill, E. H., T. P. Hemker, K. P. Woodruff, and L. Kuck. 1994. Impacts of mining facilities on fall migration of mule deer. *Wildlife Society Bulletin* 22:68-73.
- Meyer, K. A., and J. A. Lamansky. 2004. Assessment of native salmonids above Hell's Canyon Dam, Idaho. Annual Progress Report July 1, 2003 – June 30, 2004. Idaho Department of Fish and Game Report Number 04-26. May 2004.
- Meyer, K. A., D. J. Schill, F. S. Elle, and W. C. Schrader. 2003. A long-term comparison of Yellowstone cutthroat trout abundance and size structure in the historical range in Idaho. *North American Journal of Fisheries Management* 23:149-162.
- MFG, Inc. 2003a. Smoky Canyon Mine site investigation work plan, appendix B. Prepared for J.R. Simplot Company, Pocatello, Idaho.
- MFG, Inc. 2003b. Draft Smoky Canyon Mine Area B (Tailings Ponds Area) Baseline Ecological Risk Assessment Report, Prepared for J.R. Simplot Company, Pocatello, Idaho and IDEQ, July 2003.
- MFG, Inc. 2003c. Smoky Canyon Mine Area B Groundwater and Environmental Media Investigation Report, Prepared for J. R. Simplot Company, Pocatello, Idaho.
- MFG, Inc. 2004a. Final Tailings Impoundment Recommendations Report. Prepared for J.R. Simplot Company, Pocatello, Idaho and IDEQ, January 2004.

- MFG, Inc. 2004b. Draft technical memorandum no. 1: Fall 2003 groundwater investigations, Smoky Canyon Mine site investigation. Prepared for J.R. Simplot Company, Pocatello, Idaho and Jeff Jones, US Forest Service, January 2004.
- Miller, K. A., and J. P. Mason. 2000. Water surface profile and flood boundaries for the computed 100-year flood, Lower Salt River, Lincoln County, Wyoming. Open File Report 00-201. US Department of the Interior, Geological Survey.
- Miller, L. L., J. B. Rasmussen, V. Palace, and A. Hontela. 2006. The effects of selenium on the physiological stress response of rainbow trout and brook trout from a coal mining area. Metals in the Human Environment (MITHE) Research Symposium, Gatineau, QC, Canada. January 26-27, 2006.
- Minerals Management Service. 2004a. "Fiscal year (FY) federal onshore collections." Retrieved March 8, 2004, from [http://www.mrm.mms.gov/ Stats/fycollon.htm](http://www.mrm.mms.gov/Stats/fycollon.htm).
- Minerals Management Service. 2004b. Idaho phosphate production and royalties from federal land for fiscal year 2003. Electronic mail communication from Claire Schaeffer of the Minerals Management Service to Alan Isaacson of Isaacson & Associates, March 8, 2004.
- Minerals Management Service. 2004c. Idaho phosphate production and royalties from federal land for fiscal year 2003. Electronic mail communication from Mitchell Parker of the Minerals Management Service to Alan Isaacson of Isaacson & Associates, October 14, 2004.
- Moe, M. 2003. Personal communication with author (Supervisory Forester, Soda Springs Ranger District), November, 2003.
- Möller, G. 1997. Interim data report no. 1: Selenium control technologies for overburden leachate in southeastern Idaho phosphate fields. Center for Hazardous Waste Remediation Research, University of Idaho, Moscow, Idaho. Prepared for J.R. Simplot Corporation, November 12, 1997.
- Montana Partners in Flight (MPIF). 2000. "Montana partners in flight draft bird conservation plan." Retrieved December 3, 2003, from <http://biology.dbs.umt.edu/landbird/mbcp/mtpif/mthadu.htm>.
- Montgomery, K. M., and T. M. Cheney. 1967. Geology of the Stewart Flat Quadrangle, Caribou County, Idaho. Bulletin 1217. US Department of the Interior, Geological Survey.
- Montgomery Watson (MW). 1997. Interim surface water survey report, Fall 1997. Montgomery Watson, Steamboat Springs, Colorado.
- Montgomery Watson (MW). 1998. Regional investigation report, sampling and analysis plan, southeast Idaho Phosphate Resource Area Selenium Project. Report to Idaho Mining Association, Selenium Subcommittee. Montgomery Watson, Steamboat Springs, Colorado.

- Montgomery Watson (MW). 1999. Final regional investigation report, southeast Idaho Phosphate Resource Area Selenium Project. Report to Idaho Mining Association, Selenium Subcommittee. Montgomery Watson, Steamboat Springs, Colorado.
- Montgomery Watson (MW). 2000. Interim investigation data report, southeast Idaho Phosphate Resource Area Selenium Project. Report to Idaho Mining Association, Selenium Subcommittee. Montgomery Watson, Steamboat Springs, Colorado.
- Montgomery Watson (MW). 2001a. Draft 1999-2000 Regional Investigation Data Report for Surface Water, Sediment, and Aquatic Biota Sampling Activities, September 1999. Southeast Idaho Phosphate Resource Area Selenium Project. Report to Idaho Mining Association Selenium Subcommittee. Montgomery Watson, Steamboat Springs, Colorado.
- Montgomery Watson (MW). 2001b. Draft 1999-2000 regional investigation data report for surface water, sediment, and aquatic biota sampling activities, May - June 2000. Report to Idaho Mining Association, Selenium Subcommittee. Montgomery Watson, Steamboat Springs, Colorado.
- Montgomery Watson Harza (MWH). 2003. An evaluation of the effects of selenium on elk, mule deer, and moose in southeast Idaho. Report to Idaho Mining Association, Selenium Subcommittee. Salt Lake City, Utah. March 2003.
- Muller, A. B., and A. L. Mayo. 1983. Groundwater circulation in the Meade Thrust Allocthon evaluated by radiocarbon techniques. Radiocarbon 25(2): 357-372.
- Munkers, J. P. 2000. "Chemodynamics and control of abiotic and biotic pathways in the release and control of selenium in the western phosphate resource area." M.S. Thesis, University of Idaho, Moscow, Idaho.
- Munkers, J., M. Bond, K. Brackney, and G. Möller. 2000. The biogeochemistry of selenium in the US Western Phosphate Resource Area: sources, pathways, receptors and controls. British Columbia Ministry of the Environment, Mineland Reclamation Symposium. June 22, 2000.
- Murphy, R. F., and Y. Murphy. 1986. "Northern Shoshone and Bannock." Pp. 284-307 in Handbook of Native American Indians: Great Basin, eds. W. D'Azevedo and W. C. Sturtevant. Smithsonian Institute, Washington, DC.
- National Agricultural Statistics Service. 1997a. "1997 Census of agriculture." Bannock County, Idaho, profile. Retrieved February 26, 2004, from <http://www.nass.usda.gov/census/census97/profiles/ag-state.htm>.
- National Agricultural Statistics Service. 1997b. "1997 Census of agriculture." Caribou County, Idaho, profile. Retrieved February 26, 2004, from <http://www.nass.usda.gov/census/census97/profiles/ag-state.htm>.
- National Agricultural Statistics Service. 1997c. "1997 Census of agriculture." Power County, Idaho, profile. Retrieved February 26, 2004, from <http://www.nass.usda.gov/census/census97/profiles/ag-state.htm>.

- National Agricultural Statistics Service. 1997d. "1997 Census of agriculture." Lincoln County, Wyoming, profile. Retrieved February 26, 2004, from <http://www.nass.usda.gov/census/census97/profiles/ag-state.htm>.
- National Agricultural Statistics Service. 1997e. "1997 Census of agriculture." Bannock County, Idaho, highlights. Retrieved February 26, 2004, from <http://www.nass.usda.gov/census/census97/highlights/ag-state.htm>.
- National Agricultural Statistics Service. 1997f. "1997 Census of agriculture." Caribou County, Idaho, highlights. Retrieved February 26, 2004, from <http://www.nass.usda.gov/census/census97/highlights/ag-state.htm>.
- National Agricultural Statistics Service. 1997g. "1997 Census of agriculture." Power County, Idaho, highlights. Retrieved February 26, 2004, from <http://www.nass.usda.gov/census/census97/highlights/ag-state.htm>.
- National Agricultural Statistics Service. 1997h. "1997 Census of agriculture." Lincoln County, Wyoming, highlights. Retrieved February 26, 2004, from <http://www.nass.usda.gov/census/census97/highlights/ag-state.htm>.
- National Park Service. 2004. "Wild and scenic rivers by state," and "nationwide rivers inventory." Retrieved July 30, 2004, from <http://www.nps.gov/rivers>.
- Nelson, R. L., W. S. Platts, and O. Casey. 1987. Evidence for variability in spawning behavior of interior cutthroat trout in response to environmental uncertainty. Great Basin Naturalist 47:480-487.
- NewFields. 2004a. Technical Memorandum no.2: Water Balance and Mass Balance Calculations for Pole Canyon Overburden Disposal Area. Prepared for J.R. Simplot Company, August 2004.
- NewFields. 2004b. Technical Memorandum No.3: Wells formation aquifer testing. Prepared for J.R. Simplot Company, August 2004.
- NewFields. 2005a. Draft Revised Operations and Abandonment Plan for the Smoky Canyon Mine Tailings Impoundments. NewFields, Boulder, Colorado. Prepared for J. R. Simplot Company, Pocatello, Idaho, February 2005.
- NewFields. 2005b. Final Site Investigation Report: Smoky Canyon Mine, Caribou County, Idaho. NewFields, Boulder, Colorado. Prepared for J. R. Simplot Company, Pocatello, Idaho, July 2005.
- NewFields. 2006a. Engineering Evaluation/Cost Analysis, Smoky Canyon Mine, Caribou County, Idaho. Prepared for J.R. Simplot Company, May 2006.
- NewFields 2006b. Technical Memorandum: Water Quality Monitoring Data Report, May – June 2006. Smoky Canyon Mine Area A. July 20, 2006.
- NewFields 2006c. Final Report Smoky Canyon Mine Panels F and G Batch Sorption Test Results. August 1, 2006.

- NewFields. 2007a. Technical Memorandum: Water Quality Monitoring Data Report, Fall 2006, Smoky Canyon Mine – Area A. January 29, 2007.
- NewFields. 2007b. Technical Memorandum No.2 Evaluation of Recent Water Quality Trends at Hoopes Spring and South Fork Sage Creek Springs. Prepared for The J.R. Simplot Company, February 20, 2007.
- National Research Council. 1980. Recommended dietary allowances, Food, and Nutrition Board, Committee on Dietary Allowances, 9th ed. National Academy of Sciences, Washington, DC.
- Nobel, P. S. 1991. "Ecophysiology of roots of desert plants, with special emphasis on agaves and cacti." Pp. 839-866 in *Plant Roots: The Hidden Half*, 2nd Edition, eds. Y. Waisel, A. Eshel, and U. Kafkafi. Marcel Dekker, New York.
- Noss, R. G. Wuerthner, K. Vance-Bourland and C. Carroll. 2001. A Biological Conservation Assessment for the Utah-Wyoming Ecoregion: Report to the Nature Conservancy. Prepared by Conservation Science.
- Ohlendorf, H. M. 2003. "Ecotoxicology of selenium." In *Handbook of Ecotoxicology*, eds. D. J. Hoffman, B. A. Rattner, G. A. Burton, Jr., and J. Cairns, Jr. Lewis Publishers, CRC Press, Boca Raton, Florida.
- O'Kane, M. and Wels, C., 2003. Mine waste cover system design – linking predicted performance to groundwater and surface water impacts. *In Proc. of 6th International Conference for Acid Rock Drainage*, Cairns, Qld., Australia, July 12-18.
- O'Kane, M. 2004a. SME Henry Krumb Lecturer – The Influence of Site-Specific Climate Conditions on Long-Term Performance of Dry Cover Systems to Control Acid Mine Drainage - Examples of Field Performance at Sites in Australia, Canada, and the USA. Albuquerque, New Mexico, November 2003, San Francisco, California and Salt Lake City, Utah, March 2004.
- O'Kane, M., 2004b. Issues in the design of dry cover systems. ACMER Workshop on Design and Management of Tailings Storage Facilities to Minimize Environmental Impacts during Operation and Closure, Perth, WA, Australia, August 2004.
- Overton, C., S. Wollrab, B. Roberts, and M. Radko. 1997. R1/R4 (northern/intermountain regions) fish and fish habitat standard inventory procedures handbook. General Technical Report INT-GTR-346. US Department of Agriculture, Forest Service, Intermountain Research Station, Ogden, Utah.
- Palmer, I. S., and O. E. Olson. 1991. Selenium Research at the South Dakota Agricultural Experiment Station. U.S. Geological Survey Circular No. 1064. Included in the Proceedings of 1990 Billings Land Reclamation Symposium on Selenium in Arid and Semi-arid Environments in the Western United States.
- Papadopoulos, P. and D. L. Rowell. 1988. The reactions of cadmium with calcium carbonate surfaces. *Journal of Soil Science* 39:24-36.

- Parker, P. L., and T. F. King. 1998. *Guidelines for Evaluating and Documenting Traditional Cultural Properties*. National Register Bulletin 38. U.S. Department of the Interior, National Park Service, Interagency Resources Division. U.S. Government Printing Office, Washington D.C.
- Peart, Dan. 2003. Scoping comment letter from the Peart Ranch in reference to the Smoky Canyon Mine Panels F and G project. Dated January 24, 2003.
- Penner, W., and R. Crosland. 2001. A cultural resource inventory of 880 acres of the Manning Creek property, Caribou County, Idaho. JBR Cultural Resource Report 00-48. JBR Environmental Consultants, Inc., Springville, Utah. Prepared for J. R. Simplot Company.
- Perkins R. B., and A. L. Foster. 2004. "Mineral affinities and distribution of selenium and other trace elements in black shale and phosphorite of the Phosphoria Formation." In *Life Cycle of the Phosphoria Formation: From Deposition to Post-Mining Environment*, ed. J. R. Hein, vol. 8 of *Handbook of Exploration and Environmental Geochemistry*, ed. M. Hale. Elsevier B.V., Amsterdam.
- Perkins R. B. and D. Z. Piper. 2004. "The Meade Peak member of the Phosphoria Formation: temporal and spatial variations in sediment geochemistry." In *Life Cycle of the Phosphoria Formation: From Deposition to Post-Mining Environment*, ed. J. R. Hein, vol. 8 of *Handbook of Exploration and Environmental Geochemistry*, ed. M. Hale. Elsevier B.V., Amsterdam.
- Petty, J. T., and G. D. Grossman. 2004. Restricted movement by mottled sculpin (*Pisces:Cottidae*) in a southern Appalachian stream. *Freshwater Biology* 49:631-645.
- Polk, M. 1982. An Archaeological Evaluation of Site 10CU90, Caribou County, Idaho. Environmental Consultants. CRM-CB-117.
- Predator Conservation Alliance (PCA). 2003. Conservation status and needs of the wolverine (*Gulo gulo*). Literature summary. January 24, 2001.
- Presser, T. S., M. Hardy, M. A. Huebner, and P. J. Lamothe. 2004. "Selenium loading through the Blackfoot River watershed: linking sources to ecosystems." Pp. 437 – 462 in *Life Cycle of the Phosphoria Formation: From Deposition to Post-Mining Environment*, ed. J. R. Hein, vol. 8 of *Handbook of Exploration and Environmental Geochemistry*, ed. M. Hale. Elsevier B.V., Amsterdam.
- Price, K., A. Suski, J. McGarvie, B. Beasley, and J. S. Richardson. 2003. Communities of aquatic insects of old-growth and clearcut headwater streams of varying flow persistence. *Canadian Journal of Forest Research* 33:1416-1432.
- Producers, R. S., and F. F. Munshower. 1991. AB-DTPA Extractable Soil Selenium as a Predictor of Seleniferous Vegetation. U.S. Geological Survey Circular No. 1064. Included in the Proceedings of 1990 Billings Land Reclamation Symposium on Selenium in Arid and Semi-arid Environments in the Western United States.
- Quist, M. C., W. A. Hubert, and D. J. Issak. 2004. Fish assemblage structure and relations with environmental conditions in a Rocky Mountain watershed. *Canadian Journal of Zoology* 82:1554-1565.

- Ralston, D. 1979. Hydrogeology of the Smoky Canyon Mine site – a reconnaissance. Consultant report prepared for J.R. Simplot Company, August 1979.
- Ralston, D. 1980. Hydrogeology of the Smoky Canyon Mine site – siting of an industrial well. Consultant report prepared for J.R. Simplot Company, April 1980.
- Ralston, D. 1981. Hydrogeology of the Smoky Canyon Mine site, results of well drilling and pump testing. A consultant report prepared for J.R. Simplot Company, October 1981.
- Ralston, D. R. 1983. Hydrogeology of the Smoky Canyon Mine site, evaluation of geophysical logs from the production and Pole Canyon Wells. November 1983.
- Ralston, D. R. 1987. Preliminary evaluation of the saline spring area, Smoky Canyon tailings pond site. June 1987.
- Ralston, D., R. M. Omar, J. Mohammed, M. J. Robinette, and T. K. Edwards. 1977. Solutions to water resource problems associated with open-pit mining in the phosphate area of southeastern Idaho. Completion report for groundwater study contract no. 50-897. College of Mines, University of Idaho, Moscow, Idaho.
- Ranere, A. J. 1971. Stratigraphy and stone tools from Meadow Canyon, eastern Idaho. Occasional Papers of the Idaho State University Museum, no.27.
- Ratti, J. T., A. Rocklage, and E. O. Garton. 2002. Analysis of selenium levels in bird eggs and assessment of the effects of selenium on avian reproduction in southeast Idaho. Draft final report to Montgomery Watson Harza. Salt Lake City, Utah. March 1, 2002.
- Rieman, B. E. and J. B. Dunham. 2000. Metapopulations and salmonids: a synthesis of life history patterns and empirical observations. *Ecology of Freshwater Fish* 9:51-64.
- Ringe, B. L., R. N. Holmer, and W. G. Reed. 1987. Current perspectives on the prehistory of the eastern Snake River plain. Paper presented at the 41st Annual Northwest Anthropological Conference, Tacoma, Washington.
- Ritter, Sharon. 2000. Idaho Bird Conservation Plan (IBCP), Version 1.0, January 2000, prepared by Idaho Partners in Flight.
- Rosgen, D. 1996. Applied river morphology: wildland hydrology. Pagosa Springs, Colorado.
- Ruediger, B., J. Clarr, S. Gniadek, B. Holt, L. Lewis, S. Mighton, B. Naney, G. Patton, T. Rinaldi, J. Trick, A. Vendehey, F. Wahl, N. Warren, D. Wenger, and A. Williamson. 2000. Canada lynx conservation assessment and strategy. USDA Forest Service, USDI Fish and Wildlife Service, USDI Bureau of Land Management, and USDI National Park Service. Missoula, Montana.
- Sant, M. B., and D. L. Douglas. 1992. "Prehistoric resources." Pp. 3-2 – 3-47 in American Falls Reservoir Class I Inventory, vol.1 (draft), eds. J. S. Bruder, S. E. Burke, and D. L. Douglas. Dames and Moore, Intermountain Cultural Resource Services, Research Paper no.1. Submitted to Bureau of Reclamation, Boise, Idaho.

- Scanlon, B.R., Chrisman, M., Reedy, R.C., Porro, I., Simunek, J., and G.N. Flerchinger. 2002. Intercode Comparisons for Simulating Water Balance of Surficial Sediments in Semiarid Regions. *Water Resources Research*, Vol 38, No.0.
- Schroeder, P. R., C. M. Lloyd, P. A. Zappi, and N. M. Aziz. 1994. The hydrologic evaluation of landfill performance (HELP) model: user's guide for Version 3. US Army Corps of Engineers Waterways Experiment Station, Vicksburg, Mississippi; Clemson University, Department of Civil Engineering, Clemson, South Carolina; US Environmental Protection Agency, Risk Reduction Engineering Laboratory, Office of Research and Development, Cincinnati, Ohio.
- Schuster, R. and W. Murphy. 1996. Structural damage, ground failure, and hydrologic effects of the magnitude (Mw) 5.9 Draney Peak, Idaho, earthquake of February 3, 1994. *Seismological Research Letters* 67(3): May/June issue.
- Shacklette, H. T., and J. G. Boerngen. 1984. Element concentrations in soils and other surficial materials of the conterminous United States. Geological Professional Paper no. 1270. US Department of the Interior, Washington, DC.
- Sharp, N. D. 1989. Redefining Fremont subsistence. *Utah Archaeology* 2: 19-31.
- Shoshone-Bannock Tribes. 1994. The policy of the Shoshone-Bannock tribes for management of Snake River Basin resources. November 1994.
- Shoshone-Bannock Tribes. 2003. Comment letter in response to agency scoping for the Simplot Smoky Canyon Mine Panels F & G Project. Letter dated October 17, 2003.
- Shoshone-Bannock Tribes. 2005. Draft: The Shoshone-Bannock Tribes' Position Paper Regarding the Transfer of Federal Lands. June 27, 2005. Shoshone-Bannock Tribes, Fort Hall, Idaho.
- Simms, S. 1990. Fremont transitions. *Utah Archaeology* 3: 1-18.
- Simplot AgriBusiness. 2004. Storm water pollution prevention plan (SWPPP) for Smoky Canyon Mine, Caribou County, Idaho.
- Simplot Company, J. R. (Simplot). 2000. Spill prevention, control, and countermeasure (SPCC) plan. Smoky Canyon Mine. Revised October 25, 2000.
- Simplot Company, J. R. (Simplot). 2003a. Mine and Reclamation Plan for Manning and Deer Creek, I-027512 and I-001441.
- Simplot Company, J. R. (Simplot). 2003b. Miscellaneous geologic data from exploration drill holes and geologic maps. Provided by Susan Nash, Simplot Geologist, to Maxim Technologies, Inc.
- Simplot Company, J. R. (Simplot). 2007. Smoky Canyon Mine Panels F & G Cover Design Development Report.

- Singh, M., N. Singh, and P.S. Relan, 1981. Adsorption and desorption of selenite and selenate selenium on different soils, *Soil Science*, v. 132, no. 2, p. 134-141.
- Skorupa, J. P. 1998. Selenium: guidelines for interpretation of the biological effects of selected constituents in biota, water, and sediment. Information Report no. 3. US Department of the Interior, National Irrigation Water Quality Program, Denver, Colorado. November 1998.
- Sommers, L. K., and F. A. Fiori. 1981. "Lifeways of nonnative groups." Pp. 201 – 220 in Southeastern Idaho Cultural Resource Overview Burley and Idaho Falls Districts: Final Report R-2 196, ed. J. Fanzen. Commonwealth Associates. Jackson, Michigan.
- Sonoran Institute. 2003. "Getting ahead in Greater Yellowstone: making the most of our competitive advantage." Retrieved November 10, 2003, from <http://www.sonoran.org>.
- Stark, J. M., and E. F. Redente. 1990. Plant uptake and cycling of trace elements on retorted oil shale disposal piles. *Journal of Environmental Quality* 19: 495-501.
- State of Idaho. 1983. Department of Health and Welfare, Air Pollution Permit, Smoky Canyon Mine. July 6, 1983.
- Steele, R., S. Cooper, D. Ondov, D. Roberts, and R. Pfister. 1983. Forest habitat types of eastern Idaho-western Wyoming. General Technical Report INT-144. US Department of Agriculture, Forest Service.
- Stephens, D. A., and S. H. Sturts. 1998. Idaho bird distribution: mapping by latilong. 2nd ed. Special Publication no. 13. Idaho Museum of Natural History, Pocatello, Idaho.
- Stewart, J. H. 1938. Basin-plateau aboriginal socio-political groups. Bulletin 120. Smithsonian Institution Bureau of American Ethnology.
- Stillings L. L., and M. C. Amacher. 2004. Selenium attenuation in a wetland formed from mine drainage in the Phosphoria Formation, southeast Idaho. Pp 467 – 482 in Life Cycle of the Phosphoria Formation: From Deposition to Post-Mining Environment, ed. J. R. Hein, vol. 8 of Handbook of Exploration and Environmental Geochemistry, ed. M. Hale. Elsevier B.V., Amsterdam.
- Stone, E. L., and P. J. Kalisz. 1991. On the maximum extent of tree roots. *Forest Ecology and Management* 46:59-102.
- Swanson, E. H. 1972. Birch Creek papers no.1: an archaeological reconnaissance in the Birch Creek valley of eastern Idaho. Occasional Papers of the Idaho State University Museum, no.13.
- Swanson, E. H. 1974. The Snake River plain. *Idaho Yesterdays* 18: 2-14.
- Tate, R. 2004. Letter from author (Forest Engineer, Caribou-Targhee National Forest).
- Tegtmeyer, K. 2006. Water monitoring data for 2005 (Excel spreadsheet). NewFields, personal communication August 1, 2006.

- Tetra Tech EM Inc (TtEMI). 2001a. Final data gap technical memorandum, area wide investigation, Southeast Idaho Phosphate Mining Resource Area. Prepared for Idaho Department of Environmental Quality, May 2001.
- Tetra Tech EM Inc (TtEMI). 2001b. Final conceptual site models. Selenium project, southeast Idaho Phosphate Mining Resource Area. Prepared for Idaho Department of Environmental Quality, October 2001.
- Tetra Tech EM Inc (TtEMI). 2001c. Final existing data and risk assessment review, Southeast Idaho Phosphate Mining Resource Area. Prepared for Idaho Department of Environmental Quality, October 2001.
- Tetra Tech EM Inc (TtEMI). 2002a. Final 2001 total maximum daily load baseline monitoring report, Selenium Project, Southeast Idaho Phosphate Mining Resource Area. Prepared for Idaho Department of Environmental Quality, November 2002.
- Tetra Tech EM Inc (TtEMI). 2002b. Final 2002 supplement, 2001 total maximum daily load baseline monitoring report, Selenium Project, Southeast Idaho Phosphate Mining Resource Area. Prepared for Idaho Department of Environmental Quality, November 2002.
- Trec, Inc (TREC). 2005. Northern goshawk monitoring and inventory on the Caribou-Targhee National Forest, Final Report. February, 2005. Submitted by TREC, Inc.; Rigby, ID.
- Thurber, J. M., R. O. Peterson, T. D. Drummer, and S. A. Thomasma. 1994. Gray wolf response to refuge boundaries and roads in Alaska. *Wildlife Society Bulletin* 22:61-68.
- TRC Mariah Associates. 2000. Smoky Canyon Mine Water Quality Data, (1981-1999). Prepared for J. R. Simplot Company, Pocatello, Idaho.
- TRC Mariah Associates. 2002. Aquatic monitoring program for the Smoky Canyon Mine, southeast Idaho: 2001 results. Prepared for J.R. Simplot Company, Pocatello, Idaho.
- TRC Mariah Associates. 2004. Aquatic monitoring program for the Smoky Canyon Mine, southeast Idaho: 2003 results. Prepared for J.R. Simplot Company, Pocatello, Idaho.
- Trotter, P. C. 1987. "Yellowstone cutthroat trout." In *Cutthroat: Native Trout of the West*. Colorado Associated University Press.
- Ulliman, M. J., A. Sands, and T. Hemker. 1998. Conservation Plan for Columbian Sharp-tailed Grouse and its Habitats in Idaho. *Draft*.
- Uniform Building Code (UBC). 1991. Seismic Zone Map of Idaho and Contiguous United States. University of Idaho Seismic Stations. August 2000.
- United Nations Food and Agriculture Organization. 2004. "Ammonium phosphate statistics for the United States." Retrieved February 13, 2004, from http://www.fao.org/es/ess/index_en.asp.
- University of Idaho Seismic Station (UISS). 2000. "Seismic activity and risk in Idaho." Retrieved from <http://www.uidaho.edu/igs/nisn/nisnhist.html>.

- US Air Force (USAF). 2004. Report No. IERA-RS-BR-SR-2001-0010, Air Quality Procedures for Civilian Airports and Air Force Bases. Mark Wade, Federal Aviation Administration.
- US Army Corps of Engineers (USACE). 1987. Corps of engineers wetlands delineation manual. Technical Report Y-87-1. Environmental laboratory, US Army Engineer Waterways Experiment Station, Vicksburg, Mississippi.
- US Army Corps of Engineers (USACE). 1990. Environmental assessment of a proposed tailings disposal expansion project. J. R. Simplot Company's Smoky Canyon Phosphate Mine, Caribou County, Idaho.
- US Army Corps of Engineers (USACE). 2003. Verification letter for Wetland Surveys and identification of Waters of the United States, Deer and Manning Creek leases, Caribou County, Idaho. USACE to Ms. Lori Hamann, J.R. Simplot Company, September 17, 2003.
- US Census Bureau. 1997. "Idaho 1997 economic census: mining." Retrieved January 15, 2004, from <http://www.census.gov/epcd/www/econ97.html>.
- US Census Bureau. 2000a. Decennial Census 2000. "Housing units, occupancy status and vacancy status for census block in the Crow Creek valley area." 2000 Decennial Census SF-3 File. H1, H3, and H5 data elements. Retrieved February 10, 2004, from <http://factfinder.census.gov>.
- US Census Bureau. 2000b. "Current industrial report: inorganic fertilizer materials and related products 1999." Retrieved February 10, 2004, from <http://www.census.gov/cir/www/325/mq325b.html>.
- US Census Bureau. 2000c. "Current industrial report: inorganic fertilizer materials and related products 1998." Retrieved February 10, 2004, from <http://www.census.gov/cir/www/325/mq325b.html>.
- US Census Bureau. 2001. "Current industrial report: inorganic fertilizer materials and related products 2000." Retrieved February 10, 2004, from <http://www.census.gov/cir/www/325/mq325b.html>.
- US Census Bureau. 2002. "Current industrial report: inorganic fertilizer materials and related products 2001." Retrieved February 10, 2004, from <http://www.census.gov/cir/www/325/mq325b.html>.
- US Census Bureau. 2003. "Current industrial report: inorganic fertilizer materials and related products 2002." Retrieved February 10, 2004, from <http://www.census.gov/cir/www/325/mq325b.html>.
- US Census Bureau. 2004a. "County population estimates for Idaho and Wyoming, April 1, 2000 to July 1, 2002." Retrieved February 9, 2004, from <http://eire.census.gov/popest/data/counties/CO-EST2003-01.php>.

- US Census Bureau. 2004b. "Annual estimates of population changes for counties of Idaho and county rankings: July 1, 2002 to July 1, 2003 (CO-EST2003-03-16)," and "annual estimates of the components of population change for counties of Idaho: July 1, 2002 to July 1, 2003 (CO-EST2003-05-16)." Retrieved October 12, 2004, from <http://www.census.gov/popest/counties/>.
- US Department of Agriculture (USDA). No date. Reclamation Field Guide, Minerals Area Management. USDA Forest Service.
- US Department of Agriculture (USDA). 1976. Soil survey of Star Valley area, Wyoming - Idaho, parts of Lincoln County, Wyoming and Bonneville and Caribou Counties, Idaho. Prepared by the US Department of Agriculture Natural Resource Conservation Service and Forest Service. In cooperation with Wyoming Agricultural Experiment Station and Idaho Agricultural Experiment Station.
- US Department of Agriculture (USDA). 1979. User Guide to Soils, Mining and Reclamation in the West. Surface Environment and Mining Program, USDA Forest Service. General Technical Report INT-68, Intermountain Forest and Range Experiment Station. November 1979.
- US Department of Agriculture (USDA). 1990. Soil survey of the Caribou National Forest, Idaho. US Department of Agriculture Forest Service in cooperation with the US Department of Agriculture Natural Resource Conservation Service and University of Idaho, College of Agriculture.
- US Department of Agriculture (USDA). 1993. Soil survey manual. US Department of Agriculture Natural Resource Conservation Service, Washington, DC. USDA Handbook no. 18, issued October 1993. Available at <http://soils.usda.gov/technical/manual/> (updated 2003).
- US Department of Agriculture (USDA). 1996. Landscape aesthetics, a handbook for scenery management. Agriculture Handbook no. 701.
- US Department of Agriculture (USDA). 2000. Disturbed WEPP, WEPP Interface for Disturbed Forest and Range Runoff, Erosion and Sediment Delivery. USDA Forest Service, Rocky Mountain Research Station and San Dimas Technology and Development Center. Draft February 2000. PDF file downloaded from the website, January 18, 2005. <http://forest.moscowfsl.wsu.edu/fswepp/docs/distweppdoc.html>
- US Department of Agriculture (USDA). 2003a. Guidelines for the salvage of topsoil and shale used to reclaim and provide a seed bed for phosphate mine reclamation. US Department of Agriculture, Forest Service, Caribou-Targhee National Forest, Soda Springs Ranger District, April 2003.
- US Department of Agriculture (USDA). 2003b. National soil survey handbook. US Department of Agriculture, Natural Resource Conservation Service, Washington, DC. Handbook no. 430. Available at <http://soils.usda.gov/technical/handbook/> (updated 2003).
- US Department of Agriculture (USDA). 2003c. Keys to soil taxonomy. 9th ed. US Department of Agriculture, Natural Resource Conservation Service, Washington, DC. Available at http://soils.usda.gov/technical/classification/tax_keys/ (updated 2003).

- US Department of the Interior (USDI). 1998. Guidelines for interpretation of the biological effects of selected constituents in biota, water, and sediment. US Department of the Interior, National Irrigation Water Quality Program, Information Report no. 3. Participating agencies include Bureau of Reclamation, US Fish and Wildlife Service, US Geological Survey, and Bureau of Indian Affairs. November 1998. Also available at US Bureau of Reclamation website, <http://www.usbr.gov/niwqp/quidelines.html>.
- US Fish and Wildlife Service (USFWS). 1998. Biological opinion: proposed expansion of German air force operations at Holloman Air Force Base, New Mexico. Cons. #2-22-96-F-334. US Department of the Interior, Fish and Wildlife Service, New Mexico Ecological Services Office, Albuquerque, New Mexico. May 8, 1998.
- US Fish and Wildlife Service (USFWS). 2000. Gray wolf recovery status reports. Gray wolf recovery coordinator, Helena, Montana. US Department of the Interior, Fish and Wildlife Service, Mountain-Prairie Region. Retrieved 17 November 2005 from <http://mountain-prairie.fws.gov/wolf/wk12152000.htm>.
- US Fish and Wildlife Service (USFWS). 2002. Birds of conservation concern. Division of Migratory Bird Management, Arlington, Virginia. Available online at <http://migratorybirds.fws.gov/reports/bcc2002.pdf>.
- US Fish and Wildlife Service (USFWS), Nez Pierce Tribe, National Park Service, Montana Fish, Wildlife, and Parks, Idaho Fish and Game, and US Department of Agriculture Wildlife Services. 2006. Rocky mountain wolf recovery 2005 annual report. C. A. Sime and E. E. Bangs, eds. US Department of the Interior, Fish and Wildlife Service, Helena, Montana.
- US Forest Service (USFS). 1981. Draft environmental impact statement: Smoky Canyon Phosphate Mine, Caribou County, Idaho. US Department of Agriculture, Forest Service, Caribou National Forest, and US Department of the Interior, Geological Survey, Conservation Division, Western Region. Prepared for J. R. Simplot Company, September 1981.
- US Forest Service (USFS). 1991. Automated neotropical database. US Department of Agriculture, Forest Service, Intermountain Region, Ogden, Utah.
- US Forest Service (USFS). 1998. Wild & scenic rivers eligibility determination report: Caribou National Forest.
- US Forest Service (USFS). 2002a. Trumpeter Swans: Crow Creek Ranch Ponds. Report of trumpeter swan habitat investigation in area south of the Study Area by Ann Keysor and Carl Mitchell, USFS Wildlife Biologists, 19 August 2002.
- US Forest Service (USFS). 2002b. Caribou-Targhee National Forest, Montpelier and Soda Springs Ranger Districts. Travel map.
- US Forest Service (USFS). 2003a. Revised forest plan for the Caribou National Forest. US Department of Agriculture, Forest Service, Caribou-Targhee National Forest, Idaho Falls, Idaho.

- US Forest Service (USFS). 2003b. Final environmental impact statement – Caribou Revised forest plan. US Department of Agriculture, Forest Service, Caribou-Targhee National Forest, Idaho Falls, Idaho.
- US Forest Service (USFS). 2003c. Mid-winter bald eagle survey results from 1986–2003, survey site no. 48. Twelve sheets with data sheets, tables, maps, and photographs. On file at the Montpelier Ranger District, Montpelier, Idaho.
- US Forest Service (USFS). 2003d. Caribou Targhee National Forest 2002 – 2003 Monitoring Report. US Department of Agriculture, Forest Service, Caribou-Targhee National Forest, Idaho Falls, Idaho.
- US Forest Service (USFS). 2004a. Mid-winter bald eagle survey results for 2004, survey site no. 48. Data sheets and tables. On file at the Montpelier Ranger District, Montpelier, Idaho.
- US Forest Service (USFS). 2004b. “Forest Service handbook 2209.” Retrieved October 2004, from http://www.fs.fed.us/im/directives/dughtml/fsh_2000.html.
- US Forest Service (USFS). 2004c. Internet site accessed on various days in 2004 and 2005 at: <http://www.stream.fs.fed.us/water-road/>.
- US Forest Service (USFS). 2004d. Lee Leffert, USFS, personal communication, December 2004.
- US Forest Service (USFS). 2005a. Lotic checklists (PFC evaluations) for streams in the Study Area, including South Fork Sage Creek, Wells Canyon, Crow Creek, and Deer Creek and tributaries. Data collected between September and December, 2005
- US Forest Service (USFS). 2005b. News Release: Endeavor wildlife research biologists confirm Canada lynx presence on Bridger-Teton National Forest. US Department of Agriculture, Forest Service, Bridger-Teton National Forest, Jackson, Wyoming. February 28, 2005.
- US Forest Service (USFS). 2005c. Field observation form: Idaho bald eagle midwinter bald eagle count. January 7, 2005.
- US Forest Service (USFS). 2005d. Unpublished Forest Service wildlife map, located at the Montpelier Ranger District office, Montpelier, Idaho.
- US Forest Service (USFS). 2005e. Winter owl survey (1 April 2005), and summer owl and goshawk survey (10 August 2005). Manning/Deer phosphate lease areas (Panels F and G), Smoky Canyon Mine.
- US Forest Service (USFS). 2005f. Record of Decision and Final Environmental Impact Statement, Caribou Travel Plan. Westside, Soda Springs, and Montpelier Ranger Districts, Caribou-Targhee National Forest. US Department of Agriculture, Forest Service. November and August 2005.

- US Forest Service (USFS). 2005g. Determination of Significance and Effect, for the Panels F&G Extension Transportation Corridors Cultural Resource Inventory. Caribou Targhee National Forest Heritage Resources Department.
- US Forest Service (USFS). 2006a. Photo documentation of elk foraging on reclaimed waste rock dump. Taken by Darrel Vande Weg.
- US Forest Service (USFS). 2006b. "Clarification of 2003 Revised Forest Plan Prescription 2.8.3 – Biological Elements – General Riparian Area Management, Standard #1 with reference to Smoky Panels F & G (Simplot) email from Brian Buck, JBR dated July 6, 2006." Internal USFS memo, File Code 1950, dated July 31, 2006. To Scott Gerwe, USFS Smoky F&G EIS lead, Soda Springs Ranger District, from Jim Laprevote.
- US Forest Service (USFS). 2007. Letter to BLM District Manager Joe Kraayenbrink regarding Roadless Area Conservation Rule (RACR). Caribou-Targhee National Forest, Lawrence A. Timchak, Forest Supervisor. 8 February 2007.
- US Forest Service (USFS). (n.d.). WILDRAM (Wildlife habitat relationship data management system). US Department of Agriculture, Forest Service, Intermountain Region, Ogden, Utah.
- US Forest Service (USFS), US Geological Service (USGS), and Bureau of Land Management (BLM). 1976. Development of phosphate resources in Southeastern Idaho, Draft Environmental Impact Statement.
- US Forest Service (USFS) et al. 2001. Hunting and ATVs brochure. US Department of Agriculture, Forest Service; US Department of the Interior, Bureau of Land Management; Idaho Department of Fish & Game, Idaho Department of Lands, and Idaho State Parks & Recreation.
- US Forest Service (USFS), Bureau of Land Management (BLM), Idaho Department of Fish and Game (IDFG), and Northern Rockies Conservation Cooperative. 2005. Bald eagles of eastern Idaho Greater Yellowstone Ecosystem: 2004 annual productivity report. Greater Yellowstone Ecosystem bald eagle research project. US Department of Agriculture, Forest Service, Targhee National Forest; US Department of the Interior, Bureau of Land Management, Idaho Falls District. Idaho BLM Technical Bulletin 2005-03.
- US Geological Survey (USGS). 1970. Fluvial Sediment Concepts: U.S. Geological Survey Techniques of Water-Resources Investigations. Harold P. Guy. 03-C1.
- US Geological Survey (USGS). 1977. Final Environmental Impact Statement: Development of Phosphate Resources in Southeastern Idaho. (FES77-37).
- US Geological Survey (USGS). 1999. Fertilizers-sustaining global food supplies. Fact Sheet FS-155-99. US Department of the Interior, Geological Survey. September 1999.
- US Geological Survey (USGS). 2001a. Diagnostic services case report, case no. 16322, 001-020; March 22, 2001. National Wildlife Health Center, US Geological Survey, Madison, Wisconsin.

- US Geological Survey (USGS). 2001b. Diagnostic services case report, case no. 16947, 001-003; March 23, 2001. National Wildlife Health Center, US Geological Survey, Madison, Wisconsin.
- US Geological Survey (USGS). 2001c. A history of phosphate mining in southeastern Idaho, William H. Lee, Open-File Report 00-425, 2001.
- US Geological Survey (USGS). 2001d. Estimating Monthly and Annual Streamflow Statistics at Ungaged Sites in Idaho. Water-Resources Investigations Report 01-4093. By Jon E. Hortness and Charles Berenbrock.
- US Geological Survey (USGS). 2003a. Marketable phosphate rock in crop year 2003. US Department of the Interior, Geological Survey, Mineral Industry Surveys. December 2003.
- US Geological Survey (USGS). 2003b. "Phosphate rock." Pp. 57.1 – 57.10 in Minerals Yearbook: Minerals and Metals 2001. US Department of the Interior, Geological Survey.
- US Geological Survey (USGS). 2004a. "Quaternary fault and fold database for the United States." Preston 1 x 2 sheet. US Department of the Interior. Retrieved September 2004, from <http://earthquakes.usgs.gov/qfaults/wy/prs.html>.
- US Geological Survey (USGS). 2004b. "NWISWeb data for Idaho." Retrieved July 29, 2004, from <http://waterdata.usgs.gov/id/nwis>.
- US Geological Survey (USGS). 2004c. "Zinc statistics and information." US Department of the Interior, Geological Survey, minerals information. Retrieved September 17, 2004, from <http://minerals.usgs.gov/minerals/pubs/commodity/zinc/>.
- US Geological Survey (USGS). 2004d. "Minerals yearbook minerals and metals 2002: sulfur." Retrieved February 25, 2004 from <http://minerals.usgs.gov/minerals/>.
- US Geological Survey (USGS). 2004e. "Minerals yearbook minerals and metals 2002: Phosphate rock." Retrieved February 25, 2004 from <http://minerals.usgs.gov/minerals/>.
- US Geological Survey (USGS). 2004f. "Minerals yearbook area reports, domestic 2002: Idaho." Retrieved February 25, 2004 from <http://minerals.usgs.gov/minerals/>.
- US Geological Survey (USGS). 2005. U. S. Geological Survey, Mineral Commodity Summaries, January 2005. Available at website: http://minerals.usgs.gov/minerals/pubs/commodity/phosphate_rock/ Accessed: March 24, 2005.
- US Geological Survey (USGS), Bureau of Land Management (BLM), and US Forest Service (USFS). 1975. Draft Environmental Impact Statement, Vol. 1: Development of Phosphate Resources in Southeastern Idaho.

- Utah Department of Workforce Services. 2004. "Annual report of labor market information, 2002." Utah's civilian labor force and components by county, annual average 2002. Retrieved 5 April 2004, from <http://jobs.utah.gov/wi/pubs/EM/AnnualReport/?URL=pubs%2FEM%2FAnnualReport%2F>.
- Van Deventer, J., and W. Platts. 1983. Sampling and estimating fish populations for streams. Transactions of the North American Wildlife and Natural Resource Conference 48: 349-354.
- Van Kirk, R. W., and S. L. Hill. 2006. Modeling predicts trout population response to selenium based on individual-level toxicity. Departments of Mathematics and Biology, Idaho State University. Final Report to Greater Yellowstone Coalition, 11 December 2006.
- Wegars, P., and J. S. Bruder. 1992. "Historic Euro- and Asian-American resources." Pp. 5-1 to 5-80 in American Falls Reservoir Class I Inventory, vol.1 (draft), eds. J. S. Bruder, S. E. Burke, and D. L. Douglas. Research Paper no.1. Dames and Moore, Intermountain Cultural Resource Services. Submitted to Bureau of Reclamation, Boise, Idaho.
- Welcome to Caribou County. 2004. RootsWeb. Retrieved February 18, 2004, from <http://www.rootsweb.com/~idcaribo/>.
- Wels, C., O'Kane, M., and Fortin, S., 2001a. Storage cover test plot study for Questa Tailings Facility, New Mexico. In Proc. of 18th Annual National Meeting, American Society for Surface Mining and Reclamation, Albuquerque, New Mexico, June 3-7.
- Wels, C., O'Kane, M., Fortin, S., and Christensen, D., 2001b. Infiltration test plot study for waste rock at Questa Mine, New Mexico. In Proc. of 18th Annual National Meeting, American Society for Surface Mining and Reclamation, Albuquerque, New Mexico, June 3-7.
- Western Regional Climate Center (WRCC). 2004. National climate data center 1957-2005 monthly normals for Afton, Wyoming (480027) and Snotel Graphs for Slug Creek Divide, Idaho. Data provided by US Department of Agriculture and the National Resources Conservation Service. Retrieved from <http://www.wrcc.dri.edu/cgi-bin/cliMAIN.pl?wyafto> and http://www.wrcc.dri.edu/cgi-bin/snoX_graphX.pl?SLG11.
- Whetstone Associates, Inc. 2003. Water resources technical report for the proposed north Rasmussen Ridge mine expansion. Prepared for US Department of the Interior, Bureau of Land Management, Pocatello Field Office. April 8, 2003.
- Winter, G. V. 1980. Ground water flow systems in the phosphate sequence, Caribou County, Idaho: A technical report. Project C-7651. Idaho Water Resources Research Institute, University of Idaho, Moscow, Idaho. March 1980.
- Wipfli, M. S., and D. P. Gregovich. 2002. Export of invertebrates and detritus from fishless headwater streams in southeastern Alaska: implications for downstream salmonid populations. Freshwater Ecology 47:957-969.

- Wright, W. E., A. Dukelow, and B. A. Narloch. 2002. Elk tissue quality within the Southeast Idaho Phosphate Resource Area. Preceedings 23rd Society of Environmental Toxicology and Chemistry. Salt Lake City, Utah. November 18, 2003.
- Wyoming Business Council. 2004. "Wyoming travel industry 2003 impact report." Retrieved November 2, 2004, from http://Wyomingbusiness.org/tourism/2003_impact_report.pdf.
- Wyoming Department of Employment. 2004a. "1990-2002 Wyoming unemployment rate by county." Retrieved February 9, 2004, from <http://doe.state.wy.us/lmi/laus/9002aa.htm>.
- Wyoming Department of Employment. 2004b. "Employing units, employment, and wages by NAICS subsectors for Lincoln County, southwest region." First through fourth quarters, 2003. Retrieved on November 2, 2004, from http://doe.state.wy.us/lmi/toc_202.htm.
- Wyoming State Almanac. 2002. "Wyoming: economic analysis division." Retrieved April 22, 2004, from <http://eadiv.state.wy.us/almanac/almanac.asp>.
- Ylaranta, T. 1983. Effect of applies selenite and selenate on the selenium content of barley. Ann. Agr. Finn. 22:166-179.
- Zachara, J. M., C. E. Cowan, and C. T. Resch. 1991. Sorption of divalent metals on calcite: Geochimica et Cosmochimica Acta 55: 1549-1562.
- Zheng, C., and G. D. Bennett. 1995. Applied Contaminant Transport Modeling, Theory and Practice. John Wiley & Sons, New York,.

8.2 Index

Acid Rock Drainage	3-9, 4-3
Air Quality.....	1-6, 2-33, 3-28, 3-29, 3-30, 3-31, 3-32, 3-214, 4-14, 4-19, 4-229, 5-13, 6-14, 6-18, 6-20, 6-21, 6-23, 7-121
Alternatives	1-1, 1-2, 1-5, 2-1, 2-11, 2-33, 2-36, 2-40, 2-41, 2-42, 2-48, 2-58, 2-61, 2-62, 2-63, 2-69, 2-70, 2-73, 2-77, 2-78, 2-84, 2-90, 2-102, 2-104, 2-108, 3-8, 3-11, 3-12, 3-15, 3-26, 3-101, 3-112, 3-138, 3-179, 3-205, 3-206, 3-207, 3-249, 4-1, 4-6, 4-9, 4-10, 4-11, 4-14, 4-15, 4-16, 4-17, 4-20, 4-23, 4-24, 4-26, 4-27, 4-30, 4-49, 4-50, 4-65, 4-66, 4-71, 4-72, 4-79, 4-80, 4-81, 4-82, 4-83, 4-84, 4-88, 4-89, 4-90, 4-93, 4-98, 4-100, 4-101, 4-103, 4-104, 4-105, 4-106, 4-110, 4-111, 4-113, 4-114, 4-115, 4-116, 4-122, 4-126, 4-127, 4-128, 4-129, 4-130, 4-131, 4-135, 4-136, 4-138, 4-148, 4-154, 4-156, 4-158, 4-160, 4-161, 4-163, 4-165, 4-168, 4-169, 4-171, 4-175, 4-177, 4-178, 4-182, 4-183, 4-184, 4-185, 4-188, 4-189, 4-191, 4-192, 4-195, 4-196, 4-197, 4-204, 4-205, 4-206, 4-207, 4-209, 4-212, 4-214, 4-218, 4-219, 4-220, 4-221, 4-224, 4-225, 4-227, 4-228, 4-229, 4-230, 4-231, 4-232, 4-233, 4-235, 4-236, 4-238, 4-241, 4-243, 4-245, 4-249, 4-250, 4-251, 4-253, 5-1, 5-8, 5-10, 5-13, 5-14, 5-22, 5-23, 5-34, 5-35, 5-37, 5-40, 5-41, 5-43, 5-44, 5-50, 5-51, 5-56, 5-57, 5-58, 5-60, 5-61, 5-62, 5-65, 5-66, 5-68, 5-69, 5-70, 5-71, 5-76, 5-78, 6-6, 6-10, 6-15, 6-17, 7-10, 7-15, 7-41, 7-48, 7-50, 7-51, 7-57, 7-61, 7-72, 7-91, 7-105, 7-116, 7-152, 7-181, 7-208, 7-274, 7-283, 7-294, 7-333, 7-364, 7-389
Amphibians	2-80, 2-85, 2-86, 3-134, 4-152, 6-24
Aquatic	1-8, 2-31, 2-37, 2-83, 2-89, 2-99, 2-104, 3-18, 3-40, 3-112, 3-138, 3-155, 3-161, 3-172, 4-83, 4-132, 4-136, 4-164, 4-235, 5-30, 5-52, 5-76, 7-225, 7-305, 7-326, 7-330
Aspen	2-79, 2-85, 2-103, 3-59, 3-102, 3-104, 3-105, 3-119, 3-130, 3-181, 4-123, 4-127, 4-129, 5-28, 5-49
Available Water Capacity (AWC)	3-92
Bald Eagle	1-6, 3-120, 3-122, 4-144, 4-227, 5-48, 7-392
Bats	2-80, 2-86, 3-133, 4-151
Big Game	2-81, 2-85, 3-130, 3-132, 3-167, 4-150, 4-227
Birds	1-7, 2-80, 2-86, 3-129, 4-150, 4-228
Bonneville Cutthroat Trout	3-149
Boreal Owl.....	3-123, 3-125, 4-145
Brazer Limestone	3-1, 3-2, 3-58, 3-59, 3-65, 3-66, 3-67, 3-68, 3-73, 3-74, 3-75, 3-76, 4-32, 5-21, 7-137, 7-142
Bureau of Land Management (BLM).....	1-1, 1-2, 1-5, 1-6, 1-7, 1-8, 1-9, 1-11, 1-12, 1-15, 1-16, 2-1, 2-2, 2-3, 2-8, 2-13, 2-14, 2-17, 2-18, 2-26, 2-33, 2-38, 2-41, 2-72, 2-92, 2-96, 2-97, 2-98, 2-99, 2-100, 2-102, 2-104, 2-105, 2-106, 2-108, 2-109, 3-7, 3-9, 3-14, 3-15, 3-17, 3-25, 3-26, 3-27, 3-28, 3-43, 3-105, 3-127, 3-129, 3-155, 3-172, 3-201, 3-203, 3-204, 3-205, 3-208, 3-210, 3-211, 3-213, 3-214, 3-215, 3-215, 4-13, 4-16, 4-31, 4-33, 4-39, 4-46, 4-97, 4-118, 4-141, 4-162, 4-174, 4-197, 4-208, 4-252, 5-4, 5-5, 5-6, 5-7, 5-14, 5-17, 5-19, 5-21, 5-23, 5-28, 5-34, 5-35, 5-38, 5-43, 5-44, 5-60, 6-1, 6-2, 6-4, 6-5, 6-6, 6-7, 6-8, 6-9, 6-18, 6-21, 6-22, 6-25, 7-2, 7-7, 7-8, 7-10, 7-12, 7-13, 7-15, 7-16, 7-26, 7-27, 7-28, 7-29, 7-30, 7-31, 7-32, 7-33, 7-36, 7-37, 7-38, 7-39, 7-40, 7-41, 7-43, 7-44, 7-45, 7-46, 7-47, 7-55, 7-60, 7-62, 7-66, 7-67, 7-78, 7-83, 7-87, 7-88, 7-94, 7-96, 7-97, 7-98, 7-100, 7-101, 7-102, 7-104, 7-105, 7-106, 7-107, 7-108, 7-114, 7-118, 7-119, 7-123, 7-130, 7-134, 7-150, 7-153, 7-170, 7-173, 7-178, 7-179, 7-181, 7-182, 7-183, 7-185, 7-188, 7-189, 7-200, 7-202, 7-207, 7-212, 7-214, 7-223, 7-227, 7-235, 7-240, 7-241, 7-244, 7-245, 7-246, 7-247, 7-251, 7-252, 7-255, 7-262, 7-263, 7-265, 7-266, 7-267, 7-268, 7-269, 7-270, 7-273, 7-274, 7-275, 7-276, 7-277, 7-278, 7-279, 7-281, 7-282, 7-283, 7-287, 7-288, 7-289, 7-290, 7-291, 7-292, 7-302, 7-303, 7-308, 7-310, 7-313, 7-315, 7-316, 7-317, 7-319, 7-321, 7-323, 7-324, 7-325, 7-326, 7-328, 7-329, 7-332, 7-333, 7-335, 7-337, 7-338, 7-339, 7-341, 7-343, 7-344, 7-345, 7-346, 7-347, 7-349, 7-350, 7-352, 7-353, 7-354, 7-355, 7-356, 7-357, 7-358, 7-359, 7-360, 7-361, 7-362, 7-363, 7-364, 7-365, 7-371, 7-372, 7-387, 7-388, 7-389, 7-390, 7-391, 7-392, 7-394
Cache Penstemon.....	3-108
Cadmium	2-92, 2-94, 3-10, 3-11, 3-12, 3-15, 3-57, 3-99, 3-100, 3-156, 3-161, 4-36, 4-37, 4-43, 4-48, 4-51, 5-19, 5-29, 5-32, 6-14, 7-244
Canada Lynx	3-120, 3-121, 4-144, 5-47

Caribou County 1-1, 1-7, 2-1, 2-3, 3-29, 3-30, 3-86, 3-121, 3-169, 3-170, 3-171, 3-175, 3-203, 3-205, 3-215, 3-217, 3-218, 3-219, 3-220, 3-221, 3-222, 3-223, 3-224, 3-225, 3-226, 3-229, 3-230, 3-231, 3-232, 3-233, 3-234, 3-240, 3-241, 3-242, 3-243, 3-246, 4-23, 4-31, 4-237, 4-242, 4-249, 6-1, 7-42, 7-366, 7-383, 383, 7-384, 7-385

Columbia Spotted Frog 3-123, 3-129

Conifer 3-102, 3-105, 4-232, 5-28

COPC 2-94, 3-18, 3-23, 3-24, 3-48, 3-52, 3-111, 3-136, 4-16, 4-35, 4-36, 4-38, 4-41, 4-42, 4-49, 4-53, 4-63, 4-64, 4-66, 4-67, 4-71, 4-72, 4-86, 4-108, 4-226, 5-32, 5-33, 5-35, 5-54, 6-15, 7-96, 7-213, 7-268, 7-269

Crow Creek 1-17, 1-24, 2-58, 2-59, 2-65, 2-67, 2-68, 2-70, 2-74, 2-75, 2-76, 2-78, 2-83, 2-84, 2-89, 2-91, 2-93, 2-97, 2-98, 2-99, 2-102, 2-103, 2-104, 2-106, 2-107, 3-7, 3-23, 3-27, 3-36, 3-37, 3-38, 3-42, 3-43, 3-44, 3-45, 3-47, 3-48, 3-50, 3-53, 3-57, 3-58, 3-65, 3-66, 3-67, 3-72, 3-74, 3-75, 3-105, 3-106, 3-107, 3-108, 3-109, 3-114, 3-115, 3-116, 3-117, 3-118, 3-119, 3-122, 3-125, 3-126, 3-129, 3-131, 3-133, 3-139, 3-141, 3-143, 3-146, 3-147, 3-148, 3-149, 3-150, 3-151, 3-152, 3-155, 3-157, 3-158, 3-159, 3-162, 3-166, 3-167, 3-169, 3-170, 3-171, 3-175, 3-176, 3-178, 3-179, 3-181, 3-184, 3-185, 3-186, 3-187, 3-188, 3-190, 3-192, 3-203, 3-204, 3-205, 3-207, 3-211, 3-212, 3-213, 3-216, 3-232, 3-248, 3-249, 4-2, 4-11, 4-13, 4-21, 4-22, 4-23, 4-24, 4-25, 4-26, 4-27, 4-28, 4-29, 4-30, 4-51, 4-55, 4-60, 4-61, 4-63, 4-65, 4-79, 4-85, 4-87, 4-88, 4-89, 4-91, 4-92, 4-93, 4-94, 4-96, 4-97, 4-98, 4-99, 4-100, 4-101, 4-102, 4-103, 4-104, 4-105, 4-106, 4-118, 4-120, 4-121, 4-129, 4-137, 4-138, 4-139, 4-145, 4-146, 4-151, 4-159, 4-160, 4-161, 4-165, 4-166, 4-167, 4-168, 4-170, 4-172, 4-173, 4-174, 4-175, 4-181, 4-182, 4-185, 4-187, 4-190, 4-193, 4-194, 4-196, 4-197, 4-200, 4-206, 4-208, 4-209, 4-210, 4-211, 4-212, 4-214, 4-215, 4-217, 4-218, 4-221, 4-225, 4-226, 4-227, 4-231, 4-233, 4-235, 4-237, 4-238, 4-239, 4-241, 4-242, 4-244, 4-246, 4-248, 4-251, 4-252, 5-10, 5-14, 5-21, 5-22, 5-25, 5-26, 5-28, 5-29, 5-30, 5-31, 5-32, 5-34, 5-35, 5-36, 5-37, 5-40, 5-43, 5-44, 5-48, 5-50, 5-52, 5-53, 5-54, 5-55, 5-56, 5-57, 5-60, 5-62, 5-69, 5-72, 5-75, 5-77, 6-1, 6-2, 7-22, 7-25, 7-50, 7-51, 7-54, 7-56, 7-58, 7-61, 7-71, 7-82, 7-84, 7-101, 7-105, 7-106, 7-107, 7-108, 7-109, 7-111, 7-112, 7-113, 7-114, 7-115, 7-120, 7-136, 7-138, 7-139, 7-145, 7-150, 7-160, 7-161, 7-162, 7-163, 7-183, 7-184, 7-186, 7-187, 7-206, 7-214, 7-215, 7-223, 7-227, 7-263, 7-264, 7-273, 7-274, 7-288, 7-293, 7-294, 7-296, 7-297, 7-298, 7-299, 7-304, 7-305, 7-306, 7-307, 7-310, 7-311, 7-320, 7-322, 7-323, 7-325, 7-326, 7-327, 7-328, 7-330, 7-331, 7-333, 7-334, 7-340, 7-342, 7-344, 7-345, 7-355, 7-357, 7-362, 7-371

Deer 1-1, 1-8, 1-24, 1-25, 2-1, 2-3, 2-18, 2-23, 2-24, 2-26, 2-29, 2-31, 2-42, 2-59, 2-64, 2-65, 2-73, 2-74, 2-75, 2-76, 2-77, 2-78, 2-84, 2-92, 2-93, 2-94, 2-98, 2-99, 2-101, 2-103, 2-104, 2-106, 3-7, 3-12, 3-27, 3-36, 3-38, 3-42, 3-44, 3-45, 3-46, 3-47, 3-50, 3-53, 3-54, 3-56, 3-58, 3-59, 3-65, 3-66, 3-68, 3-72, 3-73, 3-74, 3-75, 3-101, 3-104, 3-105, 3-106, 3-107, 3-108, 3-109, 3-116, 3-117, 3-118, 3-119, 3-121, 3-122, 3-125, 3-133, 3-134, 3-139, 3-140, 3-141, 3-143, 3-144, 3-145, 3-146, 3-149, 3-150, 3-151, 3-152, 3-153, 3-155, 3-156, 3-158, 3-159, 3-160, 3-162, 3-164, 3-167, 3-169, 3-170, 3-171, 3-175, 3-179, 3-181, 3-182, 3-205, 3-207, 3-211, 3-212, 3-213, 3-214, 4-5, 4-7, 4-12, 4-13, 4-17, 4-25, 4-27, 4-28, 4-29, 4-33, 4-46, 4-51, 4-52, 4-55, 4-56, 4-60, 4-63, 4-65, 4-66, 4-67, 4-71, 4-72, 4-76, 4-79, 4-84, 4-85, 4-88, 4-89, 4-90, 4-91, 4-92, 4-93, 4-94, 4-95, 4-96, 4-98, 4-99, 4-100, 4-101, 4-102, 4-103, 4-104, 4-105, 4-106, 4-116, 4-124, 4-128, 4-129, 4-131, 4-133, 4-134, 4-135, 4-137, 4-138, 4-139, 4-140, 4-141, 4-146, 4-154, 4-155, 4-159, 4-161, 4-165, 4-166, 4-167, 4-168, 4-169, 4-170, 4-172, 4-173, 4-174, 4-175, 4-177, 4-178, 4-179, 4-180, 4-182, 4-183, 4-184, 4-185, 4-186, 4-187, 4-188, 4-191, 4-193, 4-194, 4-197, 4-200, 4-205, 4-206, 4-207, 4-209, 4-211, 4-214, 4-215, 4-219, 4-220, 4-221, 4-225, 4-226, 4-227, 4-234, 4-236, 4-241, 4-244, 4-246, 4-252, 4-253, 5-21, 5-22, 5-23, 5-25, 5-28, 5-29, 5-30, 5-31, 5-34, 5-35, 5-36, 5-37, 5-39, 5-42, 5-44, 5-54, 5-55, 5-56, 5-58, 5-61, 5-62, 5-66, 5-68, 5-70, 5-75, 6-6, 6-19, 7-9, 7-15, 7-22, 7-51, 7-54, 7-56, 7-57, 7-58, 7-60, 7-61, 7-63, 7-65, 7-71, 7-91, 7-106, 7-108, 7-109, 7-111, 7-112, 7-113, 7-115, 7-116, 7-118, 7-123, 7-128, 7-136, 7-137, 7-139, 7-148, 7-149, 7-163, 7-179, 7-183, 7-184, 7-185, 7-186, 7-187, 7-188, 7-196, 7-197, 7-203, 7-215, 7-223, 7-225, 7-252, 7-265, 7-266, 7-267, 7-274, 7-292, 7-293, 7-294, 7-296, 7-297, 7-299, 7-300, 7-302, 7-307, 7-310, 7-311, 7-315, 7-316, 7-317, 7-319, 7-320, 7-321, 7-322, 7-325, 7-326, 7-327, 7-328, 7-330, 7-331, 7-333, 7-334, 7-338, 7-340, 7-341, 7-345, 7-347, 7-364

Deer Creek 1-1, 1-24, 1-25, 2-1, 2-3, 2-18, 2-23, 2-24, 2-26, 2-29, 2-31, 2-42, 2-59, 2-64, 2-65, 2-73, 2-74, 2-75, 2-76, 2-77, 2-92, 2-93, 2-94, 2-98, 2-99, 2-101, 2-103, 2-104, 2-106, 3-7, 3-12, 3-27,

3-36, 3-38, 3-42, 3-44, 3-45, 3-46, 3-47, 3-50, 3-53, 3-54, 3-56, 3-58, 3-59, 3-65, 3-66, 3-68, 3-72, 3-73, 3-74, 3-75, 3-101, 3-104, 3-105, 3-106, 3-107, 3-108, 3-109, 3-116, 3-117, 3-118, 3-119, 3-121, 3-122, 3-133, 3-134, 3-139, 3-140, 3-141, 3-143, 3-145, 3-146, 3-149, 3-150, 3-151, 3-152, 3-153, 3-155, 3-156, 3-158, 3-159, 3-160, 3-162, 3-164, 3-167, 3-169, 3-170, 3-175, 3-179, 3-181, 3-182, 3-205, 3-207, 3-211, 3-212, 3-213, 3-214, 4-5, 4-7, 4-12, 4-13, 4-17, 4-25, 4-27, 4-28, 4-29, 4-33, 4-46, 4-51, 4-52, 4-55, 4-56, 4-60, 4-63, 4-65, 4-66, 4-67, 4-71, 4-72, 4-76, 4-79, 4-84, 4-85, 4-88, 4-89, 4-90, 4-91, 4-92, 4-93, 4-94, 4-95, 4-96, 4-98, 4-99, 4-100, 4-102, 4-103, 4-104, 4-105, 4-106, 4-116, 4-128, 4-129, 4-131, 4-133, 4-134, 4-135, 4-137, 4-138, 4-139, 4-140, 4-141, 4-154, 4-155, 4-159, 4-161, 4-165, 4-166, 4-167, 4-168, 4-170, 4-172, 4-173, 4-174, 4-175, 4-177, 4-178, 4-179, 4-180, 4-182, 4-183, 4-184, 4-185, 4-186, 4-187, 4-188, 4-191, 4-193, 4-194, 4-197, 4-200, 4-205, 4-206, 4-207, 4-209, 4-211, 4-214, 4-215, 4-225, 4-226, 4-227, 4-234, 4-236, 4-241, 4-244, 4-246, 4-252, 4-253, 5-21, 5-22, 5-23, 5-25, 5-28, 5-29, 5-30, 5-31, 5-34, 5-35, 5-36, 5-37, 5-42, 5-44, 5-54, 5-55, 5-56, 5-58, 5-61, 5-66, 5-68, 5-70, 5-75, 6-19, 7-9, 7-15, 7-22, 7-51, 7-54, 7-56, 7-57, 7-58, 7-60, 7-61, 7-63, 7-65, 7-71, 7-91, 7-106, 7-108, 7-109, 7-111, 7-112, 7-113, 7-115, 7-116, 7-118, 7-123, 7-128, 7-136, 7-137, 7-139, 7-148, 7-149, 7-163, 7-183, 7-184, 7-185, 7-186, 7-187, 7-188, 7-196, 7-197, 7-203, 7-215, 7-223, 7-225, 7-252, 7-265, 7-266, 7-274, 7-292, 7-293, 7-294, 7-296, 7-297, 7-299, 7-302, 7-307, 7-310, 7-311, 7-315, 7-316, 7-317, 7-319, 7-320, 7-321, 7-322, 7-325, 7-326, 7-327, 7-328, 7-330, 7-331, 7-333, 7-334, 7-338, 7-340, 7-341, 7-345, 7-347, 7-364	
Development	2-101, 3-95, 3-96, 5-27, 4-31, 4-82, 4-119, 4-140, 4-190, 4-219, 4-225, 4-248, 5-21, 5-74, 7-15, 7-33, 7-36, 7-72, 7-300
Diamond Creek	2-14, 2-23, 2-29, 2-31, 2-75, 2-76, 2-77, 2-98, 2-103, 3-36, 3-37, 3-45, 3-46, 3-47, 3-55, 3-56, 3-75, 3-131, 3-162, 3-166, 3-167, 3-169, 3-170, 3-178, 3-179, 3-188, 3-191, 3-213, 3-215, 3-216, 4-5, 4-88, 4-92, 4-94, 4-96, 4-100, 4-103, 4-131, 4-141, 4-175, 4-191, 4-211, 4-217, 4-233, 4-234, 5-10, 5-14, 5-25, 5-26, 5-62, 5-70, 5-74, 5-77, 7-61, 7-305, 7-356
Dinwoody Formation	3-7, 7-73, 7-140
Dry Valley	3-14, 3-32, 3-159, 3-219, 3-234, 3-238, 3-241, 4-31, 4-43, 4-44, 4-48, 4-49, 5-2, 5-4, 5-6, 5-13, 7-174
Eagle	1-6, 3-212
Education	3-232
Elk	1-8, 3-22, 3-130, 3-131, 3-136, 3-167, 3-171, 5-49, 5-69, 5-76, 7-100, 7-282, 7-288
Employment	2-83, 3-218, 3-221, 3-222, 3-223, 3-224, 3-225, 3-228, 3-230, 3-231, 3-241, 3-248, 7-367, 7-373
Environmental Justice	1-23, 3-214, 3-249, 3-250, 4-224, 4-251, 6-13, 7-392
Erosion	2-34, 2-38, 3-91, 3-93, 3-96, 4-83, 4-101, 4-112, 4-113, 4-119, 4-120, 4-141, 7-224, 7-246
Finance	3-223, 3-224, 3-227, 3-229
Fisheries	1-19, 1-24, 2-37, 2-97, 2-98, 2-99, 3-138, 3-141, 3-142, 3-155, 3-181, 3-184, 3-212, 4-132, 4-137, 4-163, 4-225, 5-27, 5-34, 5-52, 5-53, 6-21, 6-22, 6-23, 6-24, 7-20, 7-23, 7-30, 7-111, 7-120, 7-121, 7-123, 7-187, 7-212, 7-214, 7-216, 7-219, 7-225, 7-263, 7-279, 7-280, 7-285, 7-292, 7-293, 7-297, 7-299, 7-326
Flammulated Owl	3-123, 3-126, 4-146
Game Birds	3-134, 4-152
Geology	1-17, 3-1, 3-3, 3-57, 4-2, 4-3, 4-6, 4-132, 4-137, 5-1, 5-3, 5-49, 6-23, 6-24, 7-94
Goshawk	3-129, 4-149
Gray Wolf	3-120, 4-144
Grazing	1-20, 2-13, 2-29, 2-100, 2-107, 3-161, 3-163, 3-164, 3-203, 3-207, 4-2, 4-176, 4-183, 4-185, 4-198, 4-239, 5-10, 5-42, 5-47, 5-48, 5-58, 5-59, 5-60, 5-61, 6-11, 6-24, 7-22, 7-345
Great Gray Owl	3-123, 3-127, 4-147
Greater Sage-Grouse	3-123, 4-147
Groundwater	2-34, 2-36, 2-106, 3-8, 3-25, 3-44, 3-57, 3-58, 3-59, 3-65, 3-66, 3-67, 3-68, 3-69, 3-70, 3-71, 3-74, 3-75, 3-76, 4-31, 4-32, 4-33, 4-37, 4-42, 4-48, 4-49, 4-51, 4-52, 4-58, 4-59, 4-60, 4-61, 4-62, 4-64, 4-66, 4-67, 4-108, 4-109, 4-225, 5-14, 5-15, 5-16, 5-19, 5-20, 5-22, 5-23, 5-25, 6-22, 7-98, 7-112, 7-137, 7-142, 7-145, 7-150, 7-151, 7-157, 7-173, 7-197, 7-251, 7-269, 7-272, 7-273, 7-320
Harlequin Duck	3-123, 3-126
Hazardous Materials	2-14, 2-16, 2-38
Hazardous Waste	2-15

Health	1-7, 2-9, 2-16, 3-20, 3-22, 3-35, 3-56, 3-136, 3-161, 3-224, 3-226, 3-229, 3-232, 4-61, 4-248, 5-29, 5-53, 7-57, 7-97, 7-98, 7-99, 7-101, 7-102, 7-111, 7-289, 7-324, 7-328, 7-391
Heritage Resource	3-200, 3-207, 6-11
Housing	3-33, 3-232, 5-49, 7-382, 7-384
Income.....	2-83, 3-226, 3-227, 3-228, 3-229, 3-230, 7-373, 7-374, 7-376, 7-377, 7-378, 378, 7-379, 7-380, 7-381, 7-382, 7-385
Infiltration Barriers	2-48, 2-71, 2-72
Inventoried Roadless Area (IRA)	1-9, 1-10, 1-11, 1-12, 1-20, 2-25, 2-41, 2-59, 2-64, 2-74, 2-75, 2-77, 2-104, 2-105, 3-181, 3-185, 4-198, 4-200, 4-201, 4-202, 4-203, 4-205, 4-206, 4-207, 4-208, 4-209, 5-66, 5-68, 5-69, 6-23, 7-52, 7-60, 7-70, 7-350, 7-352, 7-355
K-Factor.....	3-92
Lodgepole	3-102, 3-104, 3-112
Lower Meade Peak Member	3-2
Macroinvertebrates	3-139
Manganese	2-92, 2-94, 3-12, 4-36, 4-37, 4-63
Manning Creek.....	1-1, 2-3, 2-18, 2-59, 2-93, 3-27, 3-36, 3-38, 3-44, 3-47, 3-65, 3-75, 3-76, 3-101, 3-104, 3-105, 3-107, 3-109, 3-115, 3-116, 3-117, 3-118, 3-122, 3-125, 3-127, 3-131, 3-143, 3-148, 3-162, 3-167, 3-169, 3-170, 3-175, 3-179, 3-202, 3-205, 3-207, 3-211, 3-213, 3-214, 4-56, 4-79, 4-88, 4-89, 4-94, 4-95, 4-99, 4-102, 4-132, 4-136, 4-137, 4-166, 4-177, 4-180, 4-181, 4-182, 4-183, 4-184, 4-185, 4-186, 4-187, 4-188, 4-190, 4-193, 4-217, 4-219, 4-220, 4-221, 4-236, 5-42, 5-58, 5-61, 5-62, 5-66, 5-68, 6-11, 7-8, 7-62, 7-118, 7-128, 7-186, 7-187, 7-225, 7-277, 7-299, 7-321
Map	1-3, 1-8, 2-21, 2-30, 2-44, 2-45, 3-39, 3-82, 3-84, 3-89, 3-90, 3-100, 3-170, 3-178, 4-119, 4-120
Meade Peak Roadless Area	1-11, 2-89, 3-179, 3-184, 4-198, 5-66, 7-8, 7-35
Minerals.....	1-17, 3-1, 3-57, 3-239, 3-240, 4-2, 4-132, 4-137, 5-1, 5-3, 7-9, 7-33, 7-94, 7-367
Mining.....	1-1, 1-2, 1-7, 1-15, 1-25, 2-1, 2-6, 2-7, 2-8, 2-11, 2-17, 2-18, 2-19, 2-37, 2-41, 2-42, 2-48, 2-69, 2-70, 2-73, 2-77, 2-78, 2-90, 2-104, 2-105, 2-106, 2-107, 3-17, 3-18, 3-31, 3-33, 3-36, 3-48, 3-49, 3-50, 3-56, 3-136, 3-204, 3-206, 3-207, 3-222, 3-223, 3-224, 3-226, 3-227, 3-229, 3-231, 3-234, 3-239, 3-241, 3-243, 3-244, 4-2, 4-6, 4-15, 4-17, 4-18, 4-19, 4-24, 4-26, 4-27, 4-29, 4-30, 4-50, 4-52, 4-65, 4-66, 4-67, 4-71, 4-72, 4-77, 4-79, 4-81, 4-88, 4-89, 4-90, 4-91, 4-93, 4-95, 4-98, 4-115, 4-116, 4-118, 4-126, 4-127, 4-135, 4-136, 4-148, 4-149, 4-153, 4-156, 4-157, 4-158, 4-168, 4-169, 4-170, 4-171, 4-177, 4-178, 4-180, 4-181, 4-182, 4-183, 4-184, 4-191, 4-192, 4-195, 4-196, 4-204, 4-205, 4-212, 4-214, 4-218, 4-219, 4-220, 4-224, 4-227, 4-228, 4-229, 4-230, 4-233, 4-235, 4-241, 4-243, 4-244, 4-245, 5-6, 5-7, 5-8, 5-9, 5-11, 5-16, 5-21, 5-23, 5-28, 5-39, 5-41, 5-45, 5-47, 5-58, 5-60, 5-65, 5-70, 5-74, 6-8, 6-15, 6-17, 6-20, 6-21, 6-22, 6-23, 7-5, 7-8, 7-9, 7-10, 7-14, 7-15, 7-16, 7-22, 7-24, 7-25, 7-33, 7-40, 7-48, 7-50, 7-51, 7-52, 7-53, 7-59, 7-65, 7-75, 7-83, 7-93, 7-98, 7-99, 7-100, 7-102, 7-105, 7-129, 7-149, 7-212, 7-217, 7-246, 7-264, 7-281, 7-286, 7-294, 7-301, 7-311, 7-318, 7-333, 7-336, 7-351, 7-354, 7-359, 7-367, 7-389
Monitoring.....	2-36, 2-37, 2-38, 2-90, 2-91, 2-93, 2-94, 2-95, 2-98, 2-101, 3-25, 3-30, 3-41, 3-45, 3-50, 3-55, 3-64, 3-67, 4-31, 4-35, 4-45, 4-107, 4-108, 4-121, 4-222, 5-28, 5-29, 5-30, 5-32, 5-34, 5-38, 5-53, 5-57, 5-72, 6-10, 6-19, 7-48, 7-56, 7-57, 7-66, 7-74, 7-89, 7-90, 7-93, 7-100, 7-109, 7-213, 7-214, 7-218, 7-271, 7-272, 7-291, 7-321, 7-325
Moose.....	3-130, 3-131, 3-136
Mule Deer.....	3-130, 7-74
Nate Canyon	2-59, 3-36, 3-38, 3-45, 3-118, 3-164, 3-211, 4-25, 4-27, 4-28, 4-137, 4-209, 4-214, 7-60
Native American	1-5, 1-6, 1-14, 1-15, 1-16, 3-20, 3-22, 3-200, 3-202, 3-208, 3-210, 3-211, 3-214, 3-221, 4-223, 5-73, 6-8, 6-9, 6-11, 7-99, 7-102, 7-121, 7-357, 7-394
NEPA.....	1-2, 1-6, 1-10, 2-2, 2-3, 2-40, 2-69, 2-70, 2-91, 2-98, 2-108, 3-172, 3-249, 4-107, 5-6, 5-7, 5-9, 6-5, 6-6, 6-14, 6-21, 6-23, 6-25, 7-1, 7-13, 7-14, 7-15, 7-18, 7-19, 7-26, 7-27, 7-32, 7-34, 7-35, 7-36, 7-37, 7-38, 7-39, 7-41, 7-42, 7-44, 7-45, 7-46, 7-49, 7-57, 7-58, 7-66, 7-72, 7-73, 7-76, 7-85, 7-86, 7-89, 7-90, 7-91, 7-94, 7-96, 7-132, 7-140, 7-141, 7-155, 7-161, 7-164, 7-172, 7-184, 7-186, 7-187, 7-188, 7-208, 7-211, 7-212, 7-217, 7-219, 7-220, 7-221, 7-244, 7-245, 7-262, 7-291, 7-293, 7-297, 7-305, 7-308, 7-311, 7-312, 7-313, 7-314, 7-315, 7-321, 7-335, 7-352, 7-360, 7-371, 7-372
Nickel.....	2-94, 3-12, 3-57, 3-99, 3-101, 4-36, 4-37, 5-32, 5-40, 6-14

Noise	1-17, 1-22, 2-78, 2-84, 2-90, 2-107, 3-28, 3-32, 3-33, 3-34, 3-35, 3-36, 4-2, 4-14, 4-15, 4-23, 4-24, 4-25, 4-27, 4-29, 4-30, 4-151, 4-239, 4-241, 5-10, 5-12, 5-13, 5-27, 6-23, 7-22, 7-104, 7-105, 7-106, 7-107
North Fork Deer Creek	2-64, 2-65, 2-75, 2-93, 2-98, 2-99, 3-44, 3-46, 3-54, 3-75, 3-121, 3-139, 3-140, 3-143, 3-144, 3-151, 3-152, 3-155, 3-156, 3-167, 3-212, 4-12, 4-13, 4-79, 4-117, 4-129, 4-135, 4-138, 4-139, 4-140, 4-153, 4-159, 4-160, 4-161, 4-165, 4-167, 4-169, 4-172, 5-54, 7-146, 7-185, 7-186, 7-187, 7-325
Northern Goshawk	3-123, 3-128, 4-148
Northern Three-Toed Woodpecker	3-123, 3-127, 4-147
Noxious Weed	3-108, 3-109, 3-110, 3-212, 4-125, 4-127, 4-130, 4-226
Off-Highway Vehicle (OHV)	1-20, 3-169, 3-213, 4-189, 5-61
Ore	1-5, 2-8, 2-10, 2-11, 2-18, 2-19, 2-74, 2-75, 2-83, 3-2, 3-238, 4-139, 4-245, 4-247, 7-371
Overburden	2-9, 2-24, 2-25, 2-26, 2-28, 2-32, 2-36, 2-37, 2-39, 2-43, 2-46, 2-47, 2-48, 2-53, 2-78, 2-102, 2-106, 3-8, 3-9, 3-24, 3-36, 3-52, 4-7, 4-8, 4-9, 4-17, 4-18, 4-19, 4-26, 4-36, 4-41, 4-42, 4-43, 4-47, 4-48, 4-63, 4-64, 4-67, 4-71, 4-88, 4-95, 4-116, 4-126, 4-133, 4-134, 4-135, 4-136, 4-142, 4-153, 4-157, 4-170, 4-181, 4-183, 4-184, 4-192, 4-195, 4-204, 4-212, 4-214, 4-219, 4-220, 4-230, 4-235, 4-244, 4-245, 5-9, 5-17, 5-31, 5-36, 5-55, 5-60, 7-13, 7-26, 7-51, 7-60, 7-77, 7-117, 7-147, 7-149, 7-236, 7-238, 7-259, 7-268, 7-281, 7-352
Paleontological Resources	2-33, 3-27
Peregrine Falcon	3-123, 3-126, 4-146
Permit	1-6, 1-7, 2-10, 3-205, 4-19, 6-15, 6-18, 7-60, 7-62, 7-267
Phosphoria Formation	3-2, 7-100, 7-130, 7-146, 7-157, 7-198, 7-209, 7-336
Pipelines	2-71
Population	2-98, 3-144, 3-145, 3-146, 3-147, 3-148, 3-220, 3-221, 3-222, 4-125, 4-145, 4-146, 4-147, 4-148, 4-149, 4-165, 4-248, 6-12, 7-309, 7-310, 7-335, 7-381, 7-382, 7-383
Predator	3-120, 3-124
Prime Farmland	3-86
Pygmy Rabbit	3-123
Reclamation	1-1, 1-2, 1-5, 1-6, 1-7, 1-8, 1-11, 2-2, 2-8, 2-10, 2-13, 2-19, 2-25, 2-28, 2-32, 2-33, 2-41, 2-56, 2-69, 2-74, 2-90, 2-98, 2-102, 2-104, 2-108, 2-109, 3-88, 3-89, 3-111, 3-172, 4-3, 4-5, 4-14, 4-18, 4-58, 4-62, 4-96, 4-112, 4-115, 4-122, 4-123, 4-140, 4-143, 4-177, 4-188, 4-190, 4-192, 4-195, 4-208, 4-212, 4-216, 4-226, 4-252, 5-6, 5-39, 5-70, 5-71, 6-10, 6-23, 7-15, 7-23, 7-32, 7-34, 7-54, 7-59, 7-74, 7-76, 7-85, 7-118, 7-273, 7-277, 7-292, 7-345, 7-347, 7-348
Recreation	1-20, 2-83, 2-89, 2-100, 2-101, 3-161, 3-165, 3-166, 3-167, 3-170, 3-182, 3-183, 3-185, 3-188, 3-207, 3-213, 3-224, 3-231, 3-248, 4-189, 4-200, 4-202, 4-228, 4-238, 5-58, 5-62, 5-63, 5-64, 6-12, 6-13, 6-23, 6-24, 7-347
Regulation	1-25, 2-9
Reptiles	3-134, 4-152
Research Natural Area	3-171, 3-179, 3-184, 3-185, 4-198, 7-21
Revegetation	2-13, 2-32, 2-34, 2-56, 3-96, 4-119, 4-120, 5-43, 6-20, 7-74, 7-277
Riparian	2-80, 2-86, 2-107, 3-102, 3-105, 3-106, 3-130, 4-2, 4-123, 4-127, 4-129, 4-143, 4-154, 4-159, 4-160, 5-28, 5-47, 5-52, 6-24
Roadless	1-9, 1-10, 1-11, 1-13, 1-20, 1-25, 2-102, 2-103, 2-105, 3-171, 3-179, 3-180, 3-181, 3-184, 3-214, 4-198, 4-199, 4-200, 5-62, 5-66, 5-67, 6-2, 7-21, 7-43, 7-45, 7-52, 7-350, 7-354, 7-390
Roadless Area	1-9, 1-10, 1-11, 1-13, 1-20, 1-25, 2-102, 2-103, 2-105, 3-171, 3-179, 3-180, 3-181, 3-214, 4-198, 4-200, 5-62, 5-66, 5-67, 6-2, 7-21, 7-43, 7-45, 7-52, 7-350, 7-354, 7-390
Roads	1-10, 2-8, 2-19, 2-20, 2-28, 2-32, 2-43, 2-65, 2-74, 2-78, 2-79, 2-80, 2-81, 2-82, 2-83, 2-87, 2-94, 2-102, 2-103, 2-105, 2-106, 2-107, 3-95, 3-96, 3-117, 3-176, 3-178, 3-203, 3-207, 4-20, 4-82, 4-103, 4-108, 4-115, 4-119, 4-120, 4-123, 4-138, 4-160, 4-170, 4-173, 4-185, 4-187, 4-236, 4-238, 4-245, 4-246, 5-28, 5-47, 5-68, 7-13, 7-26, 7-358
Safety	2-9, 2-16, 3-22, 3-35, 7-57, 7-100, 7-336
Sage Creek	1-11, 1-24, 1-25, 2-11, 2-20, 2-24, 2-41, 2-59, 2-64, 2-70, 2-73, 2-74, 2-75, 2-77, 2-89, 2-93, 2-94, 2-98, 2-99, 2-102, 2-103, 2-104, 3-23, 3-25, 3-27, 3-36, 3-38, 3-42, 3-43, 3-44, 3-45, 3-46, 3-47, 3-48, 3-49, 3-50, 3-51, 3-53, 3-54, 3-55, 3-65, 3-73, 3-74, 3-75, 3-104, 3-105, 3-106, 3-115, 3-116, 3-117, 3-118, 3-119, 3-122, 3-141, 3-143, 3-144, 3-150, 3-154, 3-158, 3-159,

3-162, 3-164, 3-169, 3-170, 3-179, 3-180, 3-181, 3-187, 3-190, 3-213, 3-216, 4-25, 4-46, 4-61, 4-62, 4-66, 4-67, 4-71, 4-85, 4-88, 4-89, 4-90, 4-91, 4-92, 4-93, 4-94, 4-96, 4-97, 4-98, 4-99, 4-100, 4-101, 4-102, 4-103, 4-104, 4-105, 4-106, 4-132, 4-133, 4-139, 4-154, 4-165, 4-166, 4-167, 4-169, 4-170, 4-171, 4-181, 4-182, 4-183, 4-184, 4-185, 4-190, 4-198, 4-211, 4-215, 4-233, 4-237, 4-241, 4-252, 5-14, 5-16, 5-20, 5-21, 5-22, 5-23, 5-24, 5-25, 5-26, 5-28, 5-29, 5-30, 5-31, 5-32, 5-33, 5-34, 5-35, 5-36, 5-37, 5-44, 5-53, 5-54, 5-55, 5-56, 5-58, 5-62, 5-66, 5-68, 5-75, 7-7, 7-8, 7-15, 7-25, 7-35, 7-53, 7-58, 7-60, 7-67, 7-68, 7-71, 7-80, 7-82, 7-103, 7-108, 7-109, 7-110, 7-111, 7-114, 7-115, 7-116, 7-117, 7-118, 7-122, 7-123, 7-125, 7-131, 7-145, 7-150, 7-178, 7-179, 7-182, 7-183, 7-188, 7-203, 7-207, 7-208, 7-214, 7-215, 7-226, 7-252, 7-263, 7-264, 7-266, 7-267, 7-269, 7-273, 7-274, 7-275, 7-277, 7-291, 7-294, 7-296, 7-297, 7-299, 7-300, 7-304, 7-306, 7-309, 7-315, 7-316, 7-319, 7-320, 7-321, 7-322, 7-325, 7-326, 7-328, 7-330, 7-331, 7-333, 7-334, 7-339, 7-340, 7-344, 7-345, 7-354	
Sage Creek Roadless Area.....	1-11, 2-89, 2-102, 3-179, 3-181, 4-198, 5-66, 7-60
Sagebrush.....	3-102, 3-104, 3-107, 3-125, 3-129, 4-2, 5-28
Salt River.....	3-36, 3-38, 3-45, 3-46, 3-77, 3-108, 3-149, 3-150, 3-159, 3-203, 4-80, 4-92, 4-165, 5-9, 5-25, 5-26, 5-30, 5-44, 5-52, 5-53, 5-55, 5-57, 7-25, 7-60, 7-78, 7-99, 7-101, 7-103, 7-111, 7-120, 7-145, 7-184, 7-185, 7-222, 7-223, 7-293, 7-296, 7-299, 7-300, 7-303, 7-305, 7-310, 7-322, 7-326, 7-328, 7-331, 7-334, 7-336, 7-339, 7-345
Scoping	1-11, 1-12, 1-16, 3-214, 4-2, 6-1, 6-2
Sedimentation	2-34, 2-38, 2-98, 3-151, 4-153, 4-164, 4-166, 4-171, 4-175, 4-225, 4-226, 7-222, 7-246, 7-292
Seeps	3-19, 4-47, 7-25, 7-236, 7-259
Seismicity	3-7
Selenium	1-24, 1-26, 2-34, 2-37, 2-38, 2-81, 2-92, 2-94, 2-99, 2-100, 3-9, 3-10, 3-11, 3-12, 3-13, 3-14, 3-15, 3-16, 3-18, 3-22, 3-23, 3-24, 3-43, 3-48, 3-57, 3-73, 3-90, 3-97, 3-98, 3-99, 3-111, 3-135, 3-154, 3-156, 3-159, 3-160, 4-31, 4-36, 4-37, 4-39, 4-41, 4-43, 4-44, 4-48, 4-49, 4-51, 4-54, 4-57, 4-61, 4-63, 4-65, 4-68, 4-69, 4-70, 4-73, 4-74, 4-75, 4-76, 4-78, 4-85, 4-89, 4-90, 4-96, 4-97, 4-113, 4-124, 4-125, 4-127, 4-130, 4-153, 4-154, 4-158, 4-161, 4-167, 4-168, 4-171, 4-184, 4-226, 4-227, 5-8, 5-19, 5-21, 5-28, 5-29, 5-33, 5-34, 5-39, 5-48, 5-53, 5-54, 5-58, 6-12, 6-14, 6-16, 6-18, 6-19, 6-21, 7-9, 7-16, 7-25, 7-29, 7-56, 7-64, 7-65, 7-79, 7-80, 7-84, 7-85, 7-98, 7-99, 7-100, 7-101, 7-102, 7-113, 7-115, 7-122, 7-145, 7-147, 7-148, 7-149, 7-151, 7-170, 7-200, 7-201, 7-207, 7-213, 7-214, 7-216, 7-217, 7-222, 7-231, 7-232, 7-234, 7-236, 7-238, 7-239, 7-255, 7-259, 7-264, 7-265, 7-273, 7-281, 7-285, 7-290, 7-294, 7-299, 7-303, 7-304, 7-307, 7-310, 7-311, 7-332, 7-336, 7-337, 7-338, 7-345, 7-348, 7-388
Shoshone-Bannock.....	1-6, 1-14, 1-15, 1-16, 1-24, 3-207, 3-208, 3-209, 3-210, 3-214, 3-215, 3-220, 3-250, 4-223, 4-224, 4-228, 4-251, 5-74, 5-76, 6-5, 6-6, 6-8, 6-9, 6-10, 6-11, 6-12, 6-14, 7-56, 7-357, 7-392
Smoky Creek.....	2-7, 2-75, 3-27, 3-215, 5-17, 5-26, 5-28, 5-29, 5-30, 5-32, 5-34, 5-53, 5-54, 5-70, 7-305
Social and Economic Resources	1-22, 3-249, 7-358
Soil	2-33, 2-78, 2-79, 2-85, 2-95, 3-8, 3-77, 3-78, 3-79, 3-81, 3-82, 3-85, 3-87, 3-89, 3-90, 3-91, 3-92, 3-93, 3-96, 3-97, 3-99, 3-100, 3-181, 3-184, 4-33, 4-110, 4-111, 4-112, 4-113, 4-115, 4-117, 4-118, 4-119, 4-120, 4-121, 4-199, 5-37, 5-58, 6-15, 6-17, 6-22, 6-24, 7-336
Solid Waste	3-114
South Fork Deer Creek	2-23, 2-29, 2-31, 2-64, 2-65, 2-75, 2-93, 2-97, 2-98, 2-103, 3-46, 3-54, 3-56, 3-75, 3-106, 3-118, 3-124, 3-128, 3-143, 3-144, 3-151, 3-153, 3-155, 3-157, 3-212, 4-5, 4-92, 4-124, 4-129, 4-133, 4-134, 4-138, 4-140, 4-148, 4-155, 4-159, 4-161, 4-166, 4-167, 4-170, 4-172, 4-173, 4-174, 4-175, 4-191, 4-211, 4-212, 4-215, 4-234, 4-235, 5-28, 7-185, 7-186, 7-187, 7-225, 7-266, 7-297, 7-325
South Fork Sage Creek.....	1-24, 2-3, 2-17, 2-20, 2-23, 2-24, 2-59, 2-64, 2-73, 2-75, 2-92, 2-93, 2-98, 2-99, 2-106, 3-24, 3-27, 3-36, 3-38, 3-42, 3-43, 3-44, 3-46, 3-47, 3-48, 3-49, 3-50, 3-51, 3-52, 3-54, 3-55, 3-56, 3-57, 3-58, 3-65, 3-67, 3-68, 3-73, 3-74, 3-75, 3-76, 3-101, 3-105, 3-106, 3-117, 3-119, 3-127, 3-131, 3-133, 3-134, 3-139, 3-143, 3-145, 3-150, 3-151, 3-152, 3-154, 3-155, 3-156, 3-159, 3-167, 3-181, 3-205, 3-211, 3-212, 3-213, 4-7, 4-12, 4-26, 4-31, 4-46, 4-51, 4-55, 4-56, 4-59, 4-61, 4-62, 4-65, 4-66, 4-67, 4-71, 4-72, 4-85, 4-88, 4-89, 4-90, 4-91, 4-93, 4-94, 4-95, 4-96, 4-97, 4-98, 4-99, 4-104, 4-106, 4-117, 4-124, 4-133, 4-134, 4-137, 4-139, 4-153, 4-154, 4-155, 4-165, 4-166, 4-167, 4-169, 4-170, 4-171, 4-181, 4-187, 4-190, 4-192, 4-193, 4-211, 4-212, 4-215, 4-225, 4-226,

4-227, 4-233, 4-237, 4-252, 5-14, 5-16, 5-17, 5-20, 5-21, 5-22, 5-23, 5-24, 5-25, 5-26, 5-28, 5-29, 5-31, 5-33, 5-34, 5-35, 5-36, 5-37, 5-53, 5-54, 5-55, 5-56, 5-75, 7-71, 7-76, 7-109, 7-112, 7-115, 7-116, 7-117, 7-118, 7-122, 7-123, 7-136, 7-137, 7-139, 7-144, 7-163, 7-183, 7-184, 7-186, 7-187, 7-188, 7-196, 7-204, 7-215, 7-223, 7-225, 7-250, 7-251, 7-252, 7-265, 7-273, 7-274, 7-277, 7-293, 7-294, 7-297, 7-300, 7-310, 7-316, 7-320, 7-325, 7-329, 7-330, 7-331, 7-333, 7-339, 7-340	
Species.....	1-6, 1-7, 1-19, 2-32, 3-102, 3-107, 3-108, 3-119, 3-120, 3-122, 3-123, 3-129, 3-130, 3-133, 3-134, 3-144, 3-145, 3-146, 3-147, 3-148, 3-149, 3-156, 3-160, 3-182, 3-184, 3-212, 3-250, 4-125, 4-127, 4-129, 4-142, 4-144, 4-145, 4-146, 4-147, 4-148, 4-149, 4-151, 4-158, 4-161, 4-163, 4-165, 4-200, 4-226, 5-49, 7-69, 7-74, 7-219, 7-290, 7-293, 7-294, 7-295, 7-319, 7-335, 7-351
Spotted Bat	3-123, 4-145
Springs	1-24, 2-3, 2-14, 2-79, 2-84, 2-91, 2-107, 3-30, 3-31, 3-32, 3-38, 3-44, 3-65, 3-72, 3-73, 3-76, 3-77, 3-126, 3-166, 3-169, 3-179, 3-181, 3-184, 3-202, 3-203, 3-204, 3-208, 3-217, 3-218, 3-220, 3-238, 3-240, 4-2, 4-31, 4-46, 4-60, 4-97, 4-107, 4-109, 4-235, 4-249, 5-4, 5-10, 5-19, 5-56, 6-3, 6-5, 6-21, 7-1, 7-41, 7-56, 7-66, 7-112, 7-142, 7-143, 7-144, 7-148, 7-162, 7-183, 7-185, 7-187, 7-207, 7-213, 7-214, 7-248, 7-252, 7-274, 7-354, 7-371
Starveling Milkvetch	3-108
Stockpiles	2-55, 4-178, 4-218
Subalpine Fir	3-102, 3-104
Surface Water	1-24, 2-34, 2-93, 2-105, 3-18, 3-36, 3-41, 3-45, 3-47, 3-57, 3-72, 3-73, 3-75, 4-37, 4-61, 4-80, 4-108, 4-109, 5-25, 5-27, 5-28, 5-29, 6-23
Tailings Pond	2-2, 2-7, 2-12, 2-13, 3-25, 5-44, 5-72, 7-392
Timber	2-19, 2-34, 2-75, 2-76, 2-77, 3-109, 3-166, 3-174, 3-176, 3-178, 3-181, 3-204, 3-205, 3-213, 3-215, 4-88, 4-92, 4-94, 4-96, 4-100, 4-103, 4-198, 4-211, 4-235, 4-251, 5-25, 5-28, 5-42, 5-44, 5-47, 5-49, 5-52, 5-58, 5-60, 5-62, 5-68, 5-70, 5-74, 6-20, 7-6, 7-305
Topography	1-17, 3-1, 3-57, 4-2, 4-4, 5-1, 5-3, 7-94
Topsoil.....	2-9, 2-10, 2-13, 2-36, 2-50, 2-51, 3-85, 3-87, 3-88, 3-89, 3-96, 3-97, 4-111, 4-113, 5-40, 7-79, 7-345
Traditional Use	3-211, 4-225
Traffic	2-83, 2-89, 3-33, 3-36, 3-178, 3-188, 3-216, 4-22, 4-24, 4-153, 4-191, 4-237, 4-242
Treaty Resources	3-214, 4-229, 4-230, 4-231, 4-232, 6-12
Treaty Rights	1-12, 1-14, 1-21, 1-22, 3-208, 3-210, 3-213, 3-250, 4-223, 4-224, 4-228, 4-229, 4-230, 4-231, 4-232, 4-242, 5-73, 5-74, 5-76, 6-5, 6-9, 6-10, 6-11, 6-14, 6-23, 7-357
Trout.....	3-22, 3-141, 3-144, 3-145, 3-147, 3-151, 7-282
Trumpeter Swan.....	3-123, 3-125
Upper Rex Chert Member	3-2
Vegetation	1-8, 1-18, 2-34, 2-95, 3-77, 3-101, 3-102, 3-103, 3-109, 3-111, 3-112, 3-121, 3-172, 3-176, 3-181, 3-184, 3-212, 4-24, 4-25, 4-33, 4-121, 4-122, 4-123, 4-124, 4-125, 4-127, 4-129, 4-130, 4-164, 4-216, 4-226, 4-240, 4-251, 5-27, 5-28, 5-39, 5-41, 5-52, 5-58, 5-76, 6-24, 7-23, 7-276, 7-277
Visual Resources	5-70, 6-23
Water Quality	3-16, 3-45, 3-46, 3-71, 3-211, 4-31, 4-84, 4-97, 6-21, 7-116, 7-146, 7-266, 7-268
Water Resources	1-7, 1-17, 2-91, 2-92, 3-36, 3-39, 3-57, 3-59, 4-30, 4-132, 4-225, 5-16, 5-26, 6-4, 6-23, 6-24, 7-85, 7-107, 7-111, 7-275
Watershed	2-84, 4-80, 4-88, 4-94, 4-96, 4-100, 5-25, 6-23, 7-100, 7-101, 7-102, 7-305
Wells Canyon	2-29, 2-31, 2-58, 2-65, 2-67, 2-68, 2-70, 2-74, 2-75, 2-76, 2-91, 2-93, 2-97, 2-99, 2-101, 2-102, 2-103, 3-7, 3-27, 3-36, 3-38, 3-45, 3-47, 3-53, 3-54, 3-56, 3-59, 3-65, 3-66, 3-73, 3-75, 3-76, 3-105, 3-106, 3-117, 3-119, 3-131, 3-139, 3-143, 3-148, 3-151, 3-152, 3-162, 3-166, 3-170, 3-175, 3-176, 3-178, 3-179, 3-188, 3-192, 3-205, 3-207, 3-211, 3-213, 3-216, 3-232, 4-11, 4-13, 4-22, 4-28, 4-29, 4-79, 4-88, 4-91, 4-92, 4-94, 4-105, 4-106, 4-118, 4-120, 4-121, 4-129, 4-134, 4-138, 4-139, 4-151, 4-160, 4-173, 4-175, 4-178, 4-179, 4-180, 4-181, 4-182, 4-183, 4-184, 4-186, 4-187, 4-191, 4-192, 4-194, 4-196, 4-197, 4-206, 4-208, 4-209, 4-211, 4-212, 4-214, 4-215, 4-218, 4-221, 4-224, 4-229, 4-231, 4-232, 4-233, 4-235, 4-236, 4-237, 4-238, 4-239, 4-242, 4-246, 5-7, 5-10, 5-14, 5-35, 5-39, 5-42, 5-44, 5-58, 5-61, 5-62, 5-70, 5-77, 6-19, 7-73, 7-91, 7-111, 7-135, 7-136, 7-137, 7-138, 7-146, 7-157, 7-160, 7-162, 7-163, 7-186, 7-187, 7-225, 7-297, 7-299, 7-321, 7-322, 7-325, 7-356, 7-357, 7-362, 7-371

Wells Formation	2-108, 3-2, 3-11, 3-12, 3-65, 3-66, 3-68, 4-43, 4-44, 4-48, 4-49, 4-59, 7-100, 7-115, 7-129, 7-132, 7-134, 7-136, 7-138, 7-146, 7-147, 7-157, 7-178, 7-193, 7-195, 7-205, 7-206, 7-207, 7-209, 7-211, 7-229, 7-240, 7-243, 7-247, 7-248, 7-249, 7-250, 7-251, 7-253, 7-255, 7-256, 7-257, 7-258, 7-260, 7-263, 7-271
Western Toad.....	2-80, 2-86, 2-107, 3-137, 4-2
Wetlands	1-18, 2-36, 2-79, 2-85, 2-96, 2-107, 3-112, 3-113, 3-114, 3-115, 3-117, 3-119, 3-211, 4-2, 4-131, 4-132, 4-133, 4-134, 4-136, 4-137, 4-138, 4-139, 4-141, 4-142, 4-225, 5-27, 5-44, 6-24, 7-278, 7-279, 7-280
Wild and Scenic Rivers	3-37
Wilderness.....	1-10, 1-20, 3-28, 3-31, 3-171, 3-179, 3-181, 3-182, 3-183, 3-185, 4-17, 4-198, 4-201, 4-202, 4-204, 4-207, 4-208, 4-209, 5-13, 7-21, 7-46, 7-350
Wildlife.....	1-7, 1-19, 2-37, 2-85, 2-96, 3-107, 3-119, 3-120, 3-122, 3-123, 3-130, 3-133, 3-135, 3-148, 3-171, 3-175, 3-181, 3-184, 3-212, 4-142, 4-144, 4-145, 4-151, 4-153, 4-158, 4-161, 4-200, 4-227, 4-231, 4-251, 5-45, 5-46, 5-47, 5-49, 5-50, 5-74, 5-76, 6-4, 6-22, 6-23, 6-24, 7-23, 7-45, 7-97, 7-276, 7-281, 7-282, 7-319, 7-336, 7-348
Wind	3-19, 3-82, 3-91, 3-93, 3-94, 3-202, 4-113, 6-16, 6-17
Wind Erodibility Group (WEG)	3-91, 3-92, 3-93, 3-94, 6-55
Wolverine	3-123, 3-124, 4-145
Woodpeckers	3-134, 4-152
Yellowstone Cutthroat Trout.....	3-22, 3-141, 3-144, 3-149, 7-28, 7-69, 7-186
Zinc.....	2-92, 2-94, 3-57, 3-99, 3-101, 4-36, 4-37, 5-29, 6-14

8.3 Acronyms

ABA	Acid Base Accounting
AGP	Acid-Generating Potential
AIRFA	American Indian Religious Freedom Act
AIZ	Aquatic Influence Zone
AMP	Allotment Management Plan
AMSL	Above Mean Sea Level
ANFO	Ammonium Nitrate/Fuel Oil
ANP	Acid-Neutralizing Potential
ANPR	Advanced Notice of Proposed Rulemaking
AOC	Administrative Order on Consent
AOI	Annual Operating Instructions
AQI	Air Quality Index
ARD	Acid Rock Drainage
ARPA	Archaeological Resource Protection Act
ASQ	Allowable Sale Quantity
ATSDR	Agency for Toxic Substances and Disease Registry
ATV	All-Terrain Vehicle
AWC	Available Water Capacity
BA	Biological Assessment
BCP	Bird Conservation Plan
BE	Biological Evaluation
BERA	Baseline Ecological Risk Assessment
BLM	Bureau of Land Management
BLS	Bureau of Labor Statistics
BMP	Best Management Practices
BURP	Beneficial Use Reconnaissance Program
CC	Crow Creek
CCC	Criteria for Continuous Concentration
CCD	Census County Division
Cd	Cadmium
CDC	Conservation Data Center
CEA	Cumulative Effects Area
CEC	Cation Exchange Capacity
CEQ	Council of Environmental Quality
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
CHC	Criteria for Human Consumption
CFR	Code of Federal Regulations
CMC	Criteria for Maximum Concentration
CNF	Caribou National Forest
CO	Carbon Monoxide
COC	Contaminants of Concern
COPC	Contaminants of Potential Concern
CTNF	Caribou-Targhee National Forest
CWA	Clean Water Act
DAP	Diammonium Phosphate
DC	Deer Creek

DEIS	Draft Environmental Impact Statement
DFC	Desired Future Condition
DL	Detection Limit
DO	Dissolved Oxygen
DOI	Department of Interior
DOT	Department of Transportation
EA	Environmental Assessment
EC	Electrical Conductivity
EE/CA	Engineering Evaluation/Cost Analysis
EIS	Environmental Impact Statement
EO	Executive Order
EPA	Environmental Protection Agency
ESA	Endangered Species Act of 1972
FEIS	Final Environmental Impact Statement
FHA	Federal Housing Administration
FR	Forest Road
FS	Forest Service
FSEIS	Final Supplemental Environmental Impact Statement
FSH	Forest Service Handbook
GIS	Geographic Information Systems
GLEC	Great Lakes Environmental Center
GLO	General Land Office
GPS	Geographic Positioning System
GYE	Greater Yellowstone Ecosystem
HGM	Hydrogeomorphic Methodology
HUC	Hydrologic Unit Code
IARC	International Agency for Research on Cancer
IDAPA	Idaho Administrative Procedures Act
IDEQ	Idaho Department of Environmental Quality
IDFG	Idaho Department of Fish and Game
IDL	Idaho Department of Lands
IDWR	Idaho Department of Water Resources
IGS	Idaho Geological Survey
IMA	Idaho Mining Association
IMNH	Idaho Museum of Natural History
INEEL	Idaho National Engineering and Environmental Laboratory
IPM	Integrated Pest Management
IRA	Inventoried Roadless Area
ISCOT	Industrial Source Complex Short Term
ISHPO	Idaho State Historic Preservation Office
ISHS	Idaho State Historical Society
ISO	International Organization for Standardization
IWI	Index of Watershed Indicators
JBR	JBR Environmental Consultants, Inc.
KPLA	Known Phosphate Lease Area
LAU	Lynx Analysis Unit
LDS	Church of Jesus Christ of Latter Day Saints
LOM	Line of Mine
MAP	Monoammonium Phosphate

Maxim	Maxim Technologies, Inc.
MDT	Montana Department of Transportation
MIS	Management Indicator Species
MP	Management Prescriptions
MPRA	Meade Peak Roadless Area
MSHA	Mine Safety and Health Administration
NAAQS	National Ambient Air Quality Standards
NAICS	North American Industrial Classification System
ND	Not Detected
NEPA	National Environmental Policy Act
NFDC	North Fork Deer Creek
NFS	National Forest System
NHPA	National Historic Preservation Act
NOI	Notice of Intent
NO _x	Nitrogen Oxide Compounds
NPDES	National Pollutant Discharge Elimination System
NRHP	National Register of Historic Places
NTU	Nephelometric Turbidity Units
NWI	National Wetland Inventory
OHV	Off-Highway Vehicle
OHWM	Ordinary High Water Mark
OMRD	Open Motorized Road Density
ORP	Oxidation-Reduction Potential
OSHA	Occupational Safety and Health Administration
PA	Proposed Action
Pb	Lead
PEL	Permissible Exposure Limit
PEM	Palustrine Emergent
PFC	Proper Functioning Condition
PM _{2.5}	Particulate Matter Smaller than 2.5 Microns
PM ₁₀	Particulate Matter Smaller than 10 Microns
PPI	Producer Price Index
PR	Partial Retention
PSD	Prevention of Significant Deterioration Air Quality Program
PSS	Palustrine Scrub-Shrub
RACI	Roadless Area Conservation Initiative
RACR	Roadless Area Conservation Rule
RARE	Roadless Area Review and Evaluation
RCRA	Resource Conservation and Recovery Act
RFP	Revised Forest Plan
RM	Road-Modified
RMP	Resource Management Plan
RNA	Research Natural Area
ROD	Record of Decision
ROM	Run of Mine
ROS	Recreation Opportunity Spectrum
ROW	Right of Way
RS	Revised Statute
SC	Specific Conductance

SCRA	Sage Creek Roadless Area
SDI	Stream Diatom Index
Se	Selenium
SEIS	Supplemental Environmental Impact Statement
SeWG	Selenium Working Group
SFDC	South Fork Deer Creek
SFI	Stream Fish Index
SFSC	South Fork Sage Creek
SHI	Stream Habitat Index
SI	Site Inspection/Investigation
SIC	Standard Industrial Classification
SIO	Scenic Integrity Objective
SIP	State Implementation Plan
SIR	Site Investigation Report
Simplot	J.R. Simplot Company
SMI	Stream Macroinvertebrate Index
SMS	Scenery Management System
SO ₂	Sulfur Dioxide
SO ₄	Sulfate
SOPA	Schedule of Proposed Action
SPA	Super Phosphoric Acid
SPCC	Spill Prevention Control and Countermeasure Plan
SPM	Semi-Primitive Motorized
SSL	Soil Screening Level
SUA	Special Use Authorization
SUP	Special Use Permit
SWANCC	Solid Waste Agency of Northern Cook County
SWEQ	Snow Water Equivalent
SWPPP	Storm Water Pollution Prevention Plan
TCP	Traditional Cultural Property
TDS	Total Dissolved Solids
TEC	Threshold Effect Concentration
TEPC	Threatened, Endangered, Proposed, and Candidate
TEPCS	Threatened, Endangered, Proposed, Candidate, and Sensitive (Species)
TMDL	Total Maximum Daily Load
TRC Mariah	TRC Mariah Associates, Inc.
TSP	Triple Sugar Phosphate
TSS	Total Suspended Solids
TST	Tentatively Sustainable Timber
TtEMI	Tetra Tech EM Inc.
UN	United Nation
USACE	United States Army Corps of Engineers
USC	United States Code
USDA	United States Department of Agriculture
USFS	United States Forest Service
USFWS	United States Fish and Wildlife Service
USGS	United States Geological Survey
VES	Visual Encounter Surveys
VMS	Visual Management System

VOC	Volatile Organic Compound
VQO	Visual Quality Objective
WBAG	Water Body Assessment Guidance
WC	Wells Canyon
WEG	Wind Erodibility Group
WEPP	Water Erosion Prediction Project
WOUS	Waters of the US
WPPA	Wet Process Phosphoric Acid
WRCC	Western Regional Climate Center
WUS	Waters of the US (acronym used by Maxim)
WYNDD	Wyoming Natural Diversity Database
Zn	Zinc
ZnS	Sulfide Mineral Sphalerite

8.4 Units of Measure

BCY	bank cubic yards
C	Celsius
cfs	cubic feet per second
dB	decibel
dBA	A-weighted decibel sound scale
dw	dry weight
F	Fahrenheit
ft	feet
g	grams
gal	gallon
gpm	gallons per minute
ha	hectares
in	inch
kg/ha	kilograms per hectare
kV	kilovolt
kW	kilowatt
lb	pound
LCY	loose cubic yards
m	meters
mg/kg	milligrams per kilogram
mg/L	milligrams per liter
mi	miles
mm	millimeters
MM	million
mph	miles per hour
ppm	parts per million
%	percent
μmhos/cm	micromhos per centimeter
μg/m ³	micrograms per cubic meter

8.5 Glossary

Acre-feet. The volume required to cover 1 acre to a depth of 1 foot, which is equivalent to 43,560 cubic feet.

Acid Generation Potential (AGP). The concentration of acid generating minerals in a rock or soil material, measured in tons of CaCO_3 equivalents per kiloton of rock.

Acid Neutralization Potential (ANP). The concentration of acid neutralizing minerals in a rock or soil material, measured in tons of CaCO_3 equivalents per kiloton of rock.

Acute. Severe; having a sudden onset, sharp rise, and short duration.

Acid Rock Drainage (ARD). Water with pH less than 5, elevated TDS, SO_4 , and trace metal concentrations that result from the oxidation of acid generating sulfide minerals with subsequent dissolution and transport of the oxidation products.

Alluvial. Pertaining to material or processes associated with transportation or deposition of soil and rock by flowing water (e.g., streams and rivers).

Alluvium. Soil and rock deposited by flowing water (e.g., streams and rivers); consists of unconsolidated deposits of sediment, such as silt, sand, and gravel.

Alteration. A geochemical process involving mineralogic and geochemical changes due to reaction with fluids moving through rock or soil under natural conditions, particularly in association with mineral deposits. Transformation of feldspar minerals to clay through chemical weathering is considered alteration.

Ambient. Surrounding, existing, background conditions.

Anticline. A fold in rock where the interior of the fold is comprised of rocks older in age than the rocks on the exterior of the fold.

Assay. Qualitative or quantitative analysis of a substance (e.g., ore body).

Basic Elements (visual). The four major elements (form, line, color, and texture) that determine how the character of a landscape is perceived.

Best Management Practices (BMPs). Vegetative and structural methods to control erosion and sedimentation.

Biological Assessment. Information prepared by or under the direction of the federal agency concerning listed species that may be present in the action area and the evaluation of potential effects of the action on such species and habitats. The purpose of the biological assessment is to evaluate the potential effects of the action on listed or proposed species or designated or proposed critical habitat, and determine whether any such species and habitats are likely to be adversely affected by the action. Biological Assessments are conducted for major federal construction projects requiring an EIS.

Biological Evaluation. A Forest Service document of activities in sufficient detail to determine how an action or proposed action may affect any threatened, endangered, proposed, or sensitive species.

Capillary Break. A layer of specified material (usually cobble-sized) used to prevent capillary movements of fluids from one material to another.

Cation Exchange Capacity. The number of sites on a solid surface where reversible cation adsorption and desorption can occur.

Chert. A hard, dense microcrystalline or cryptocrystalline sedimentary rock, consisting chiefly of interlocking crystals of quartz less than about 30 Φ m in diameter; it may contain amorphous silica (opal). It has conchoidal fracture, and may be white or variously colored. Chert occurs principally as nodular or concretionary segregations, or nodules in limestone and dolomite, and less commonly as layered deposits, or bedded chert; it may be an organic or inorganic precipitate or a replacement product.

Chronic. Marked by long duration or frequent recurrence.

Column Test. A leaching laboratory test where water or other leaching solution is percolated through a vertical column of earth material and the resulting leachate is collected and analyzed for dissolved parameters.

Contrast (visual). The effect of a striking difference in form, line, color, or texture of the landscape features within the area being viewed.

Critical (Crucial) Habitat. Habitat that is present in minimum amounts and is a determining factor for population maintenance and growth.

dBA. The sound pressure levels in decibels measured with a frequency weighing network corresponding to the A-scale on a standard sound level meter. The A-scale tends to suppress lower frequencies (e.g., below 1,000 Hz).

Decant. To remove or pour off a liquid without disturbing associated sediment or solids.

Decibel (dB). One-tenth of a Bel is a measure on a logarithmic scale that indicates the ratio between two sound powers. A ratio of 2 in power corresponds to a difference of 3 decibels between two sounds. The decibel is the basic unit of sound measure.

Dissolution. The process of dissolving.

Electrical Conductivity (or Specific Conductance). The ability of a water or a soil-water paste to transmit electrical current, used to estimate ion concentration.

Endangered Species. Species in danger of extinction throughout all or a significant portion of its range.

Eolian. Soil and silt deposited by wind, such as loess.

EPA Synthetic Precipitation Leachability Procedure (SPLP) – Method 1312. A weak acid bottle roll extraction conducted to simulate metal release from mined material due to exposure to ambient conditions.

Ephemeral Stream. A stream or portion of a stream which flows briefly in direct response to precipitation in the immediate vicinity, and whose channel is at all times above the water table.

Evapotranspiration (ET). The portion of precipitation returned to the air through evaporation and transpiration by plants.

Fate and Transport. Description of the movement of a contaminant through a groundwater system which may include the effects of dilution, dispersion, attenuation and various chemical reactions.

Floodplain. The low and relatively flat areas adjacent to rivers and streams. A 100-year floodplain is that area subject to a 1 percent or greater chance of flooding in any given year.

Flux. Volume of groundwater per unit time that travels through a solid permeable medium, such as alluvium and bedrock.

Folds. A bend in planar features in rocks - like an extended wrinkle. A fold is usually the product of geologic deformation.

Forage. Vegetation used for food by wildlife, particularly big game wildlife and domestic livestock.

Forbs. Any herbaceous plant other than a grass.

Fry. The young of fish.

Game Species. Animals commonly hunted for food or sport.

HELP3 Model. A computer model written by Paul Schroeder et al at the U.S. Army Corps of Engineers Waterways Experiment Station and distributed by the U.S. Environmental Protection Agency that estimates the water balance (water inputs and outputs) of landfills.

Hertz (Hz). The unit of frequency (i.e., sound) formerly designated as cps - cycles per second.

Host Rock. A rock body or wall rock enclosing mineralization.

Hydraulic Conductivity (K). A coefficient of proportionality describing the rate at which water can move through a permeable medium.

Hydraulic Gradient. For groundwater, the rate of change of total head per unit of distance of flow at a given point and in a given direction.

Hydrograph. A graph that shows some property of groundwater or surface water as a function of time.

Hydrophytic Vegetation. The total of macrophytic plant life that occurs in areas where the frequency and duration of inundation or soil saturation produce permanently or periodically saturated soils of sufficient duration to exert a controlling influence on the plant species present.

Hydrostratigraphic Unit. A formation, part of a formation, or group of formations in which there are similar hydrologic characteristics allowing for grouping into aquifers or confining layers.

Intermittent Stream. Stream that flows only part of the time or during part of the year; some segments of the stream may flow year-round.

Isopleth. A line, on a map or chart, drawn through points of equal size or abundance.

Key Observation Point (KOP). An observer position on a travel route used to determine visible area.

Land Use Plan. The organized direction or management of the use of lands and their resources to best meet human needs over time, according to the land's capabilities.

Limestone. A sedimentary rock consisting chiefly of the mineral calcite (calcium carbonate, CaCO_3), with or without magnesium carbonate. Common impurities include chert and clay. Limestone is the most important and widely distributed of the carbonate rock and is the consolidated equivalent of limy mud, calcareous sand, and/or shell fragments. It yields lime on calcination.

Lithic Scatter. A discrete grouping of flakes of stone created as a byproduct in the tool-making process. Often includes flakes used as tools as well as formal stone tools such as projectile points, knives, or scrapers.

LRMP. Land and Resource Management Plan. Document that established direction for future decisions of the use of lands and resources in the planning area to best meet human needs over time, according to the land and resource capabilities.

Maximum Credible Earthquake. The largest conceivable earthquake that could occur in an area.

MCL. Maximum Contaminant Level. The highest level of a contaminant that is allowed in drinking water.

Mesic. Moist habitats associated with springs, seeps, and riparian areas.

Mitigation. Actions to avoid, minimize, reduce, eliminate, replace, or rectify the impact of a management practice.

Modified Mercalli Scale. Logarithmic scale of earthquake intensity.

Overburden. Sub-economic non-ore rock or soil associated with a mineral deposit.

Oxidation. A geochemical process involving chemical and mineralogic changes to rock or soil under chemical weathering conditions. Oxidation is typically associated with exposure of buried materials to atmospheric oxygen and water. The process occurs naturally, but is accelerated by mining activity.

Peak Flow. The greatest flow attained during melting of winter snowpack or during a large precipitation event.

Perennial Stream. A stream that flows throughout the year and from source to mouth.

Permeability. The capacity of porous rock, sediment, or soil to transmit a fluid.

pH. The negative \log_{10} of the hydrogen ion activity in solution; measure of acidity or alkalinity of a solution.

PM_{2.5}. Particulate matter less than 2.5 microns in aerodynamic diameter.

PM₁₀. Particulate matter less than 10 microns in aerodynamic diameter.

Probable Maximum Precipitation (PMP). The greatest depth of precipitation for a given duration that is physically possible over a given storm area at a particular location at a certain time of year.

Raptor. A bird of prey (e.g., eagles, hawks, falcons, and owls).

Richter Magnitude. Logarithmic scale of earthquake intensity.

Riparian. Situated on or pertaining to the bank of a river, stream, or other body of water. Riparian is normally used to refer to plants of all types that grow along streams, rivers, or at spring and seep sites.

RMP. Resource Management Plan. Document that establishes direction for the use of resources to best meet the needs of humans over time, according to the resource potential or capability.

Run-of-Mine Overburden. Sub-economic rock mined from the phosphate deposit, which is and placed in surface dumps or as pit backfill.

Salinity. Measure of solute concentration, in grams per kilogram; “saltiness”.

Scoping. Procedures by which agencies determine the extent of analysis necessary for a proposed action, (i.e., the range of actions, alternatives, and impacts to be addressed; identification of significant issues related to a proposed action; and the depth of environmental analysis, data, and task assignments needed).

Sediment Load. The amount of sediment (sand, silt, and fine particles) carried by a stream or river.

Seepage Collection System. A system of drains, ponds, and pumps to collect and return tailing impoundment and embankment seepage.

Sensitive Species. Those plant or animal species that are susceptible or vulnerable to activity impacts or habitat alterations.

Shale. A fine-grained detrital sedimentary rock, formed by the compaction of clay, silt, or mud. It has a finely laminated structure, which gives it a fissility along which the rock splits readily, especially on weathered surfaces. Shale is well indurated, but not as hard as argillite or slate. It may be red, brown, black, or gray.

Significant. As used in NEPA, requires consideration of both context and intensity. Context means that the significance of an action must be analyzed in several contexts such as society as a whole, and the affected region, interests, and locality. Intensity refers to the severity of impacts (40 CFR 1508.27).

SPLP Test. Synthetic Precipitation Leachability Procedure. A laboratory testing procedure established by the U.S. Environmental Protection Agency where a prescribed amount of solid material is mixed for a set time with a prescribed amount of acidified water. The leachate is then separated from the solid and analyzed for parameters of interest.

Sodium Adsorption Ratio (SAR). Ratio of dissolved sodium to calcium+magnesium in water; provides a prediction of cation exchange reaction potential.

Storage Coefficient (S). Volume of water that an aquifer absorbs or releases from storage per unit surface area of aquifer per unit decline in the component of hydraulic head normal to the surface; S is dimensionless.

Sulfides. That part of a lode or vein not yet oxidized by air or surface water and containing sulfide minerals.

Sulfide Oxidation. Chemical conversion of reduced sulfide compound to an oxidized sulfate compound, with associated release of iron and formation of secondary iron oxide mineralization.

Swell. The increase in volume exhibited by certain soils and rocks on absorption of water; an enlarged place in an orebody; a general, imprecise term for dome or arch.

Syncline. A folded rock sequence where the interior of the fold is younger than the rock on the exterior.

Threatened Species. Any species of plant or animal which is likely to become endangered within the foreseeable future throughout all or a significant portion of its range.

Total Suspended Particulate (TSP). Particulates less than 100 microns in diameter (Stokes equivalent diameter).

Total Dissolved Solids (TDS). Total amount of dissolved material, organic or inorganic, contained in a sample of water.

Total Suspended Solids (TSS). Undissolved particles suspended in liquid.

Transmissivity (T). The rate at which water will flow through a vertical strip of aquifer of one unit width and extending through the full saturated thickness, under a hydraulic gradient of 1.0.

Ungulate. A hoofed mammal.

Visual Quality Objective (VQO). A desired level of excellence based on physical and sociological characteristics of an area. Refers to degree of acceptable alteration of the characteristic landscape.

Watershed. Drainage basin for which surface water flows to a single point.

Wetlands. Areas inundated by surface water or groundwater with a frequency sufficient to support vegetation or aquatic life that requires saturated or seasonally saturated soil conditions for growth and reproduction.

Wetland Functions. Dynamic biological, chemical, and physical processes that characterize wetland ecosystems.

Wetland Values. Based on societal properties by which wetlands are determined to be useful, or impart public good.

8.6 Explanations of Impacts

Negligible – The impact is at the lowest levels of detection

Minor – The impact is slight, but detectable

Moderate – The impact is readily apparent

Major – The impact is a severe or adverse impact or of exceptional benefit